Lepidopterorum Catalogus

editus ab

Embrik Strand

Pars 30:

K. W. von Dalla Torre

Epiplemidae, Uraniidae.







W. Junk
Berlin W. 15
2. VII. 1924



Lepidopterorum Catalogus

editus ab

Embrik Strand



Pars 30:

K. W. von Dalla Torre

Epiplemidae, Uraniidae.





W. Junk
Berlin W. 15
1924

Fam. Epiplemidae.*)

Auctore **K. W. v. Dalla Torre.**

Fam. Epiplemidae.

Holland, The Moth Book p. 25, 34, 356 (1903 und 1920). — Sharp, Cambridge Natural History, Insects II, p. 368, 420 (1918).

Epipleminae Turner, Trans. Roy. Soc. S. Austr. 27, p. 18 (1903) [Nervatur]. — Warren, Novit. Zool. 10, p. 258 (1903).

Erosiidae Moore, Lep. of Ceylon 3, p. 398 (1887). — Heylaerts, Ann. Soc. Ent. Belg. 36, p. 15 (1892).

Amana Walker.

Walker, List Lep. Het. Brit. Mus. 3, p. 662 (1855).

angulifera Walker, List Lep. Het. Brit. Mus. 3, p. 662 (1855). — Swinhoe, Trans. Ent. Soc. London 1894, p. 164; id., Cat. Lep. Het. Mus. Oxford 2, p. 217 (1900). — Hampson, Fn. Brit. India Moths 3, p. 124 (1895). Indien

1

Chatamla Moore.

Moore, Proc. Zool. Soc. London 1881, p. 326. — Strand, Archiv für Naturgesch. 78, A, 3, p. 32 (1912).

flavescens Walker, List Lep. Het. Brit. Mus. 2, p. 406 (1854) *(Euschema)*. — Moore, Proc. Zool. Soc. London 1881, p. 326. N. Indien, Silhet

1

Nossa W. F. Kirby.

W. F. Kirby, Syn. Cat. Lep. Het. 1, p. 56 (1892). — Seitz in: Großschmett. Palaearkt. 2, p. 277 (1912).

Atossa Moore, Proc. Zool. Soc. London 1874, p. 577 (non J. Thomson, 1864).

Alpherakii Herz, Annu. Mus. St. Pétersbourg 9, p. 376, t. 1, f. 8 (1904) *(Atossa)*. Korea

Moorei Elwes, Proc. Zool. Soc. London 1890, p. 382, t. 34, f. 2 *(Atossa)*. — W. F. Kirby, Syn. Cat. Lep. Het. 1, p. 56 (1892). Naga Hills

nagaensis Elwes, Proc. Zool. Soc. London 1890, p. 382, t. 34, f. 3 *(Atossa)*. — W. F. Kirby, Syn. Cat. Lep. Het. 1, p. 56 (1892). „

---

*) Generum ordo secundum W. Warren in litt. ad. auctorem.

nelcymna Moore. Proc. Zool. Soc. London 1874, t. 67, f. 7 *(Atossa)*. — Elwes, Proc. Zool. Soc. London 1890, p. 380, t. 34, f. 1 *(Atossa)*. — W. F. Kirby, Syn. Cat. Lep. Het. 1, p. 56 (1892). — Seitz, Großschmett. Palaearkt. 2, p. 272, t. 48e. — Himalaya, Kaschmir

var. *chinensis* Leech, Entomol. 23, p. 83 (1890) *(Atossa)*. — Seitz, Großschmett. Palaearkt. 2, p. 277 (1912). — West-China

var. *Leechii* Elwes, Proc. Zool. Soc. London 1890, p. 381 (1891) *(Atossa)*. — Seitz, Großschmett. Palaearkt. 2, p. 277 (1912).

palaearctica Staudinger in Romanoff, Mém. Lép. 3, t. 11, f. 3 (1887) *(Chalcosia)*; l. c. 6, p. 276 (1890). — Elwes, Proc. Zool. Soc. London 1890, p. 281 (1891) *(Atossa)*. — W. F. Kirby, Syn. Cat. Lep. Het. 1, p. 56. — Seitz, Großschmett. Palaearkt. 2, p. 277, t. 48a (1912) *(Nossa)*. — Amurland: Ussuri-Gebiet

nelcymna Staudinger [non Moore] in Romanoff, Mém. Lép. 3, p. 192 *(Atossa)*. — Graeser, Berl. Ent. Zeitschr. 32, p. 115 (1888).

5

Parabraxas Leech.

Leech, Ann. Mag. Nat. Hist. (6) 20, p. 110 (1897).

Methystria Seitz, Großschmett. Palaearkt. 2, p. 449 (1912).

Oberthuria Leech, Ann. Mag. Nat. Hist. (6) 19, p. 188 (1897).

Davidi Oberthür, Ann. Soc. Ent. France (6) 5, Bull. p. CCXXIX (1885) *(Abraxas)*. — Seitz, Großschmett. Palaearkt. 2, p. 277 & 449, t. 48e (1912) *(Methystria)*. — West-China, Ost-Tibet

erebina Oberthür, Etud. Lép. comp. 5 (1), p. 317 (1896) *(Oberthuria)*. — Seitz, Großschmett. Palaearkt. 2, p. 277 & 449, t. 48e (1912) *(Methystria)*. — Ta-tsien-lu

flavomarginaria Leech, Ann. Mag. Nat. Hist. (6) 19, p. 188, t. 6, f. 7 (1897) *(Oberthuria)*. — Seitz, Großschmett. Palaearkt. 2, p. 277 & 449, t. 48e (1912) *(Methystria)*. — West-China: Wa-shan

nigromacularia Leech, Ann. Mag. Nat. Hist. (6) 19, p. 189, t. 6, f. 6 (1897) *(Oberthuria)*. — Seitz, Großschmett. Palaearkt. 2, p. 277 & 449 (1912) *(Methystria)*. — China: Chang-Yang

4

Aoratosema Warren.

Warren, Novit. Zool. 5, p. 227 (1898).

subflavata Warren, Novit. Zool. 5, p. 227 (1898). — Balabac

1

Auzea Walker.

Walker, List Lep. Brit. Mus. 26, p. 1487 (1862).

apicata Moore, Proc. Zool. Soc. London 1867, p. 617. — Bengal

reticulata Moore, Descr. Ind. Lep. Atkinson 1888, p. 233, t. 8, f. 3. — Darjeeling

rufifrontata Walker, List Lep. Brit. Mus. 26, p. 1487 (1862). — Swinhoe, Trans. Ent. Soc. London 1894, p. 164. — Hampson, Fn. Brit. Ind. Moths — Indien

3, p. 119 (1895). — Butler, Ill. Typ. Lep. Het. Brit. Mus. 6, p. 58, t. 113, f. 10 (1886) *(Decetia)*. — Cotes & Swinhoe, Cat. Moths of India 4, p. 488 (1888) *(Decetia)*.

rectata Walker, List Lep. Brit. Mus. 35 [Suppl. 5] p. 1536 (1868) *(Cyclidia)*. — Moore, Proc. Zool. Soc. London 1867, p. 614 *(Chorodna)*. — Cotes & Swinhoe, Cat. Moths India 4, p. 475 (1888) *(Chorodna)*.

3

Brachybasis Swinhoe.

Swinhoe, Cat. Lep. Het. Mus. Oxford 2, p. 218 (1900).

rufescens Butler, Ann. Mag. Nat. Hist. (5) 6, p. 121 (1880) *(Decetia)*. — Swinhoe, Cat. Lep. Het. Mus. Oxford 2, p. 218 (1900). — Borneo: Sarawak

1

Decetia Walker.

Walker, List Lep. Het. Brit. Mus. 20, p. 232 (1860). — Butler, Ill. Lep. Het. Brit. Mus. 6, p. 58 (1886).

abstractaria Walker, List Lep. Het. Brit. Mus. 35 [Suppl. 5], p. 1559 (1866). — Hindostan

accipiteraria Walker, List Lep. Het. Brit. Mus. 26, p. 1521 (1862). — Venezuela

arenosa Butler, Ann. Mag. Nat. Hist. (5) 6, p. 121 (1880): id., Ill. Lep. Het. Brit. Mus. 6, p. 58, t. 113, f. 9 (1886). — N. O. Himalaya

argentilinearia Leech, Ann. Mag. Nat. Hist. (6) 19, p. 183 (1897). — Yesso

bilineata Hampson, Fn. Brit. Ind. Moths 3, p. 123 (1895). — Celebes

capetusaria Walker, List Lep. Het. Brit. Mus. 20, p. 233 (1860). — Hindostan, Silhet

chalybeata Walker, List Lep. Het. Brit. Mus. 35 [Suppl. 5], p. 1558 (1866). — Sumatra

dichromata Walker, List Lep. Het. Brit. Mus. 35 [Suppl. 5], p. 1558 (1866). — Warren, Novit. Zool. 5, p. 421 (1898); l. c. 6, p. 319 (1899). — Swinhoe, Cat. Lep. Het. Mus. Oxford 2, p. 218, t. 5, f. 1 (1900). — Mysol, Rossel

insignis Butler, Ann. Mag. Nat. Hist. (5) 20, p. 242 (1887).

var. *fuscibrunnea* Warren, Novit. Zool. 9, p. 346 ♂ (1902). — Salomons-Inseln, Florida

hypopyrata Snellen, Iris 8, p. 146 (1895). — Sumatra

lilacinaria Leech, Ann. Mag. Nat. Hist. (6), 19, p. 184 (1897). — China

lunuliferata Walker, List Lep. Het. Brit. Mus. 26, p. 1522 (1862). — Canara

minimaria Walker, List Lep. Het. Brit. Mus. 23, p. 842 (1861) *(Erosia)*. — Ega

numicusaria Walker, List Lep. Het. Brit. Mus. 20, p. 95 (1860) *(Gynopterya?)*. — Indien

var. *sinelinea* Warren, Novit. Zool. 4, p. 24 ♂ (1897). — Hampson, Journ. Bombay Nat. Hist. Soc. 11, p. 709 (1898). — Khasias

moestaria Walker, List Lep. Brit. Mus. 35 [Suppl. 5] p. 1558 (1866). Sumatra
pallida Moore, Descr. Ind. Lep. Atkinson 1, p. 232 (1888). Calcutta
pallidaria Pagenstecher, Jahrb. Nassau. Ver. Nat. 41, p. 175 (1888); id., Verz. Schmett. Amboina 1888, p. 82. Amboina
perdensata Walker, List Lep. Het. Brit. Mus. 24, p. 1092 (1862) *(Noreia);* id., l. c. 35 [Suppl. 5], p. 1597 (1866). Ceylon, N. Hindostan
posticata Walker, List Lep. Het. Brit. Mus. 35 [Suppl. 5], p. 1557 (1866). Singapore
subobscurata Walker, List Lep. Het. Brit. Mus. 26, p. 1495 (1862) *(Gynopteryx).* — Hampson, Ill. Lep. Het. Brit. Mus. 9, p. 138, t. 168, f. 1, 7 (1893). N. Hindostan
tinctaria Walker, List Lep. Het. Brit. Mus. 26, p. 1522 (1862). Patria?
torridaria Moore, Proc. Zool. Soc. London 1867, p. 617 *(Auzea).* — Hampson, Fn. Brit. Ind. Moths 3, p. 120 (1895) *(Auzea).* — Warren, Nov. Zool. 10, p. 258 (1903). Bengal
uniformis Warren, Novit. Zool. 12, p. 8 ♂ ♀ (1905). Salomons-Insel: Treasury Island
unilineata Walker, List Lep. Het. Brit. Mus. 35 [Suppl. 5], p. 1597 (1866). Sumatra, Celebes
violacearia Leech, Ann. Mag. Nat. Hist. (6) 19, p. 183 (1897). China

24

Paradecetia Swinhoe.

Swinhoe, Trans. Ent. Soc. London 1894, p. 164.

albistellaria Walker, List Lep. Brit. Mus. 26, p. 1522 (1862) *(Decetia).* — Swinhoe, Trans. Ent. Soc. London 1894, p. 164. Patria?
myra Swinhoe, Trans. Ent. Soc. London 1902, p. 593. W. China
vicina Swinhoe, Trans. Ent. Soc. London 1902, p. 593. „

3

Aorista Warren.

Warren, Novit. Zool. 8, p. 436 (1901).

alodia Dognin, Naturaliste 1892, p. 16 *(Zonosoma);* id., Lépid. de Loja, p. ? (1887—91). — Warren, Novit. Zool. 8, p. 436 (1901). Ecuador

1

Cirrhura Warren.

Warren, Novit. Zool. 10, p. 343 (1903).

cometifera Warren, Novit. Zool. 10, p. 343 (1903). Neu-Guinea

1

Cyphura Warren.

Warren. Novit. Zool. 9, p. 344 (1902).

catenulata Warren, Novit. Zool. 9, p. 344 (1902). Salomons-Inseln
picridaria Warren, l. c. p. 344 (1902). Neu-Guinea
subsimilis Warren, l. c., p. 345 (1902). Salomons-Inseln

3

Meleaba Walker.

Walker, List Lep. Het. Brit. Mus. 23, p. 826 (1861).

antithetes Dyar, Proc. U. S. Nat. Mus. 44, p. 308 (1913). Mexiko

comprimaria Geyer, Zutr. Samml. Exot. Schmett. p. 18, t. 867, 868 (1827—41) *(Acropteris)*. S.-Amerika

theclaria Walker, List Lep. Het. Brit. Mus. 23, p. 826 (1861). Amazonas

urania Dyar, Proc. U. S. Nat. Mus. 44, p. 308 (1913). Mexiko

4

Nedusia Hübner.

Hübner, Verz. bek. Schmett. p. 291 (1816—27). — Guénée, Spec. génér. Lep. 10, 2, p. 31 (1857). — Walker, List Lep. Het. Brit. Mus. 23, p. 832 (1861).

acalis Felder & Rogenhofer, Reise d. Novara Lep., t. 28, f. 25 (1875) Bogotá

castra Jones, Proc. Zool. Soc. London 1921, p. 352, fig. Brasilien

cuticulata Guénée, Spec. génér. Lep. 10, p. 31, t. 12, f. 5 (1852). — Walker, List Lep. Het. Brit. Mus. 23, p. 832 (1861). Cayenne

excavata Möschler, Abh. Senckenberg. Ges. 16, p. 244 (1890). Portoriko, Surinam

mutilaria Hübner, Zutr. Samml. Exot. Schmett. p. 30, t. 181, 182 (1818—25); Verz. bek. Schmett. p. 291 (1816—27). — Guénée, Spec. génér. Lép. 10, p. 31 (1857). — Walker, List Lep. Brit. Mus. 23, p. 832 (1861). Cayenne, Surinam, Para, Santarem

5

Orudiza Walker.

Walker, List Lep. Het. Brit. Mus. 23, p. 857 (1861).

columbaris Butler, Ill. Lep. Het. Brit. Mus. 7, p. 82, t. 133, f. 8 (1889). Dharmsala

placidaria Walker, List Lep. Het. Brit. Mus. 23, p. 858 (1861). Venezuela

protheclaria Walker, List Lep. Het. Brit. Mus. 23, p. 858 (1861). — Swinhoe, Proc. Zool. Soc. London 1885, p. 864; id., Trans. Ent. Soc. London 1890, p. 201; l. c., 1894, p. 166. — Cotes & Swinhoe, Cat. Moths of India 4, p. 464 (1888). — Hampson, Fn. Brit. Ind. Moths 3, p. 124 (1895). Hindostan, Indien, Silhet, Cambodia, Siam, Makassar, Sumatra, Celebes

tuctiferata Snellen, Midden Sumatra Lep. p. 55 (1880); id., Tijdschr. v. Ent. 24, p. 86, t. 10, f. 4, 5 (1881).

3

Psamathia Walker

Walker, List Lep. Het. Brit. Mus. 23, p. 829 (1861).

amplata Warren, Novit. Zool. 14, p. 195 ♂♀ (1907). Paraguay

impunctata Warren, Novit. Zool. 11, p. 496 ♂ (1904). Peru

laticaudata Walker, List Lep. Het. Brit. Mus. 23, p. 830 (1861). Venezuela

parallelaria Walker, Novit. Zool. 12, p. 308 ♀ (1905). Costa Rica

sordidata Schaus, Ann. Mag. Nat. Mus. (8) 11, p. 383 (1913). „

subangulata Warren, Novit. Zool. 7, p. 123 ♂ (1900). St. Vincent

6

Tricolpia Warren.

Warren, Novit. Zool. 14, p. 196 (1907).

acutaria Walker, List Lep. Het. Brit. Mus. 23, p. 843 (1861) *(Erosia)*. — Warren, Novit. Zool. 14, p. 196 (1907). — Ega
bi a n g u l a Felder & Rogenhofer, Reise d. Novara Lep. t. 133, f. 2 (1875) *(Erosia)*.
1

Trotorhombia Warren.

Warren, Novit. Zool. 11, p. 498 (1904).

metachromata Walker, List Lep. Het. Brit. Mus. 23, p. 855 ♀ (1861) *(Erosia)*. — Warren, Novit. Zool. 11, p. 498 (1904); id., l. c. 14, p. 197 (1907). — San Domingo Portoriko Franz. Guyana
b i s i n u a t a Felder & Rogenhofer, Reise d. Novara Lep. t. 128, f. 21 ♀ (1874) *(Erosia)*.
1

Coelura Warren.

Warren, Novit. Zool. 4, p. 411 (1897).

dissocia Warren, Novit. Zool. 12, p. 41 ♀ (1905). — Paraguay
omana Druce, Biol. Centr.-Amer. Lep. Het. 2, p. 127, t. 53, f. 5 (1892) *(Erosia)*. — Warren, Novit. Zool. 4, p. 411 (1897) *(Coeluras)*. — Z.-Amerika
purpurea Dognin, Ann. Soc. Ent. Belg. 57, p. 414 (1913). — Kolumbien
strigitermen Dognin, Ann. Soc. Ent. Belg. 57, p. 414 (1913). — Panama
transversata Warren, Novit. Zool. 4, p. 411 ♂ (1897). — Rio de Janeiro, Nova Friborgo
5

Coeluromima Warren.

Warren, Novit. Zool. 7, p. 122 (1900).

subfasciata Warren, Novit. Zool. 7, p. 122 ♂♀ (1900). — Ecuador
1

Coelurotricha Warren.

Warren, Proc. U. S. Nat. Mus. 30, p. 402 (1906).

curvilinea Warren, Proc. U. S. Nat. Mus. 30, p. 402 ♂ (1906). — Panama (Chiriqui)
imitans Dognin, Ann. Soc. Ent. Belg. 57, p. 415 (1913). — Kolumbien
2

Morphomima Warren.

Warren, Nov. Zool. 11, p. 7 (1904).

fulvitacta Warren, Novit. Zool. 11, p. 7 ♂ (1904). — Kolumbien
1

Schidax Hübner.

Hübner, Verz. bek. Schmett. p. 315 (1816—27). — Guénée, Spec. génér. Lep. 10, p. 39 (1857). — Walker, List Lep. Brit. Mus. 23, p. 854 (1861).

anoscetaria Guenée, Spec. génér. Lep. 10, p. 40 (1857). Walker, List Lep. Het. Brit. Mus. 23, p. 854 (1861). — S.-Amerika
canoferata Walker, List Lep. Het. Brit. Mus. 23, p. 855 (1861). — Ega

coronaria Strecker, Lep. Rhopal. u. Heter. Suppl. 2, p. 8 (1899). — Florida

evulsa Felder & Rogenhofer, Reise d. Novara Lep. t. 128, f. 31 (1875). — Guyana

fuligaria Guénée, Spec. génér. Lép. 10, p. 41, t. 13, f. 7 (1857). — Walker, List Lep. Het. Brit. Mus. 23, p. 856 (1861). — „

repandaria Walker, List Lep. Het. Brit. Mus. 35 [Suppl. 5] p. 1650 (1866). — Bogotá

saginaria Guénée, Spec. génér. Lép. 10, p. 40 (1857). — Walker, List Lep. Het. Brit. Mus. 23, p. 855 (1861). — Cayenne

semissaria Herrich-Schäffer, Samml. Exot. Schmett. t. 39, f. 190 (1854) (*Acidalia*). — Guénée, Spec. génér. Lép. 10, p. 41 (1857). — Walker, List Lep. Het. Brit. Mus. 23, p. 856 (1861). — Surinam

servaria Walker, List Lep. Het. Brit. Mus. 23, p. 855 (1861). — Rio de Janeiro

squammularia Hübner, Verz. bek. Schmett. p. 315 (1816—27); id., Zutr. Samml. exot. Schmett. f. 161, 162 (1818—25). — Guénée, Spec. Génér. Lep. 10, p. 40 (1857). — Walker, List Lep. Het. Brit. Mus. 23, p. 854 (1861). — Südamerika, Brasilien, Rio de Janeiro Ega

10

Syngria Guénée.

Guénée, Spec. génér. Lép. 10, p. 32 (1857). — Walker, List Lep. Het. Brit. Mus. 23, p. 832 (1861).

candidata Warren, Novit. Zool. 11, p. 497 ♂ (1904). — Peru

cinerea Warren, Novit. Zool. 7, p. 124 ♀ (1900). — Venezuela

drepanata Felder & Rogenhofer, Reise d. Novara Lep. t. 128, f. 35 (1875). — Amazonas

druidaria Guénée, Spec. génér. Lép. 10, p. 32, t. 16, f. 1 (1852). — Walker, List Lep. Het. Brit. Mus. 23, p. 833 (1861). — Guyana, Ega, Venezuela

falcinaria Guénée, Spec. génér. Lep. 10, p. 33 (1852). — Walker, List Lep. Het. Brit. Mus. 23, p. 833 (1861). — Amazonas

griseata Warren, Novit. Zool. 12, p. 309 ♀ (1905). — Santo Domingo

ramosaria Möschler, Abh. Senckenberg. Ges. 16, p. 256 (1890). — Portoriko

reticularia Möschler, Abh. Senckenberg. Ges. 16, p. 256 (1890). — „

versilinea Dognin, Mém. Soc. Ent. Belg. 22 p. 52 (1913). — Ecuador

9

Syngriodes Warren (s. descr.)*)

discolor Warren, Novit. Zool. 12, p. 309 ♀ (1905). — Costa Rica

1

Hyperplema Warren.

Warren, Novit. Zool. 4, p. 414 (1897).

rudis Warren, Novit. Zool. 4, p. 415 ♂ (1897). — Onoribo

1

---

*) „I had written thus far when it struck me to refer to the Vol. XII and I found that the diagnosis of the genus had never been published." (Warren i. l. 24. 3. 1914.)

Leuconotha Warren.

Warren, Novit. Zool. 4, p. 415 (1897).

persordida Warren, Novit. Zool. 11, p. 6 ♂ (1904).	Bolivien
subfumida Warren, Novit. Zool. 7, p. 123 ♂ (1900).	Venezuela
venosa Warren, Novit. Zool. 4, p. 415 ♂ ♀ (1897).	„

3

Siculodopsis Warren.

Warren, Novit. Zool. 4, p. 416 (1897).

dubia Warren, Proc. U. S. Nat. Mus. 30, p. 406 ♂ (1906).	Ecuador
flaviceps Warren, Novit. Zool. 4, p. 416 ♂ (1897).	Brasilien: Sao Paulo
gracilinea Warren, Proc. U. S. Nat. Mus. 30, p. 407 ♂ (1906).	Peru
grisca Warren, Novit. Zool. 8, p. 437 ♂ (1901).	Cayanuma, Loja
pallidifrons Warren, Novit. Zool. 14, p. 196 ♂ (1907).	Ecuador
semifasciata Dognin, Hétéroc. nouv. 4, p. 27 (1911).	Kolumbien

6

Hemioplisis Herrich-Schäffer.

Herrich-Schäffer, Sammlg. außereurop. Schmett. 1, p. 26, 38, 62 (1856). — Warren, Novit. Zool. 8, p. 436 (1901).

Decetoides Warren, Novit. Zool. 4, p. 412 (1897).

alternata Warren, Novit. Zool. 11, p. 5 ♀ (1904).	Peru: Santo Domingo
fallax Warren, Novit. Zool. 4, p. 412 ♂ (1897) (*Decetoides*).	Venezuela
maculata Warren, Novit. Zool. 8, p. 437 ♂ (1901).	„
metallica Warren, Novit. Zool. 11, p. 6 ♀ (1904).	Trinidad

4

Falcinodes Guénée.

Guénée, Spec. génér. Lep. 10, p. 33 (1857). — Walker, List Lep. Brit. Mus. 23, p. 833 (1861).

corvinaria Guénée, Spec. génér. Lep. 10, p. 34 (1857). — Walker, List Lep. Brit. Mus. 23, p. 834 (1861).	Cayenne
gonodontaria Snellen, Tijdschr. v. Ent. 17, p. 61, t. 4, f. 11 (1874).	Rio Magdalena
perstrigata Dognin, Ann. Soc. Ent. Belg. 53, p. 232 (1909).	Neu-Guinea
rufula Warren, Novit. Zool. 1, p. 414 ♀ (1897).	Bolivien
suggilaria Snellen, Tijdschr. v. Ent. 17, p. 63, t. 5, f. 1 (1874).	Rio Magdalena

5

Saccoploca Warren.

Warren, Novit. Zool. 11, p. 8 (1904).

brevimargo Warren, Novit. Zool. 14, p. 196 ♂ ♀ (1907).	Peru
brunneata Dognin, Mém. Soc. Ent. Belg. 18, p. 188 ♂ (1911).	Kolumbien
consimilis Warren, Novit. Zool. 11. p. 9 ♂ ♀ (1904).	Peru
divergens Warren, Novit. Zool. 11, p. 496 ♀ (1904).	„

excisa Warren, Novit. Zool. 11, p. 9 ♂ ♀ (1904). — Peru
var. *nigrosticta* Warren, Novit. Zool. 12, p. 43 ♀ (1905). — „
hendida Dognin, Ann. Soc. Ent. Belg. 40, p. 134 ♀ (1896) *(Erosia).* — Warren, Novit. Zool. 11, p. 8 (1804); l. c. 14, p. 196 (1907). — Ecuador
consimilis Warren, Novit. Zool. 6, p. 9 ♂ (1904).
sordida Warren, Novit. Zool. 11, p. 497 ♂ (1904). — Peru
strigaria Jones, Proc. Zool. Soc. London 1921, p. 351, fig. — Brasilien
8

Asyngria Dognin.

Dognin, Ann. Soc. Ent. Belg. 46, p. 336 (1902).

nigripuncta Dognin, Ann. Soc. Ent. Belg. 46, p. 336 ♂ (1902). — Ecuador
1

Anorthodisca Dognin.

Dognin, Héteropt. nouv. 3, p. 52 (1911).

albimacula Dognin, Hétéroc. nouv. 3 p. 52. — Kolumbien
var. *impicta* Dognin, Hétéroc. nouv. 3, p. 53. — „
caesia Dognin, Hétéroc. nouv. 3, p. 53 (1911). — „
florelineata Dognin, Mém. Soc. Ent. Belg. 19, p. 153 ♂ (1912). — „
3

Chrysocestis Hübner.

Hübner, Verz. bek. Schmett. p. 307 (1816—27).

bisignata Walker, List Lep. Het. Brit. Mus. 22, p. 621 (1861). — Santarem
fimbriaria Cramer, Papil. Exot. 4, p. 112, t. 348, fig. C (1782). — Walker, List Lep. Het. Brit. Mus. 22, p. 620 (1861). — Honduras Brasilien Para
imperata Guénée, Spec. génér. Lep. 10, p. 396 u. 637 (1852) *(Palyas).*
fimbrialis Stoll in Cramer, Papil. Exot. 5, p. 74, t. 16, f. 4 (1787—91). — Walker, List Lep. Het. Brit. Mus. 22, p. 621 (1861). — Surinam, Ega
institata Guénée, Spec. génér. Lep. 10, p. 397 u. 638 (1852) *(Palyas).* — Para
3

Dasmeuda Walker.

Walker, List Lep. Het. Brit. Mus. 20, p. 253 (1868).

alcimus Walker, List Lep. Het. Brit. Mus. 20, p. 254 (1868). — Amazonien
1

Mesoglypta Warren.

Warren, Novit. Zool. 4, p. 205 (1897).

fleximargo Warren, Novit. Zool. 4, l. c. p. 205 ♂ (1897). — Lombok
1

Chaetoceras Warren.

Warren, Novit. Zool. 3, p. 344 (1896).

Erschoffia Swinhoe, Cat. Lep. Het. Mus. Oxford 2, p. 221 (1900).
Eversmannia Erschoff, Bull. Soc. Moscou 43 (2), p. 316 (1871) [non Staudinger 1871].

biplagiata Walker, List Lep. Het. Brit. Mus. 35 [Suppl. 5] p. 1652 (1866) *(Dirades)*. — Swinhoe, Cat. Lep. Het. Mus. Oxford 2, p. 221 (1900) *(Erschoffia)*. — Mysol

candidaria Walker, List Lep. Het. Brit. Mus. 35 [Suppl. 5] p. 1643 (1866) *(Erosia)*. — Swinhoe, Cat. Lep. Het. Mus. Oxford 2, p. 221 (1900) *(Erschoffia)*. — Neu-Guinea

lactifera Dognin, Mém. Soc. Ent. Belg. 18, p. 187 ♂ (1911). — Kolumbien

parvidens Warren, Novit. Zool. 14, p. 110 ♂ (1907). — Neu-Guinea

simplex Warren, Novit. Zool. 3, p. 344 ♂ (1896). — Amboina

diversipennis Warren, Novit. Zool. 3, p. 350 ♂ ♀ (1896) *(Eversmannia)*.

strigulosata Warren, Novit. Zool. 14, p. 110 ♂ ♀ (1907). — Neu-Guinea

striolata Warren, Novit. Zool. 14, p. 110 ♂ ♀ (1907). — „

sulphurata Warren, Novit. Zool. 14, p. 111 ♂ ♀ (1907). — Neu-Guinea

transnigrata Warren, Novit. Zool. 14, p. 111 ♂ ♀ (1907). — „

versicolor Dognin, Hétéroc. nouv. 3, p. 57 (1911). — Kolumbien

10

Chaetopyga Warren.

Warren, Novit. Zool. 3, p. 344 (1896).

horrida Warren, Novit. Zool. 3, p. 345 ♂ (1896). — Queensland: Port Mackay

1

Rhombophylla Turner.

Turner, Ann. Queensland Mus. 10, p. 79 (1910).

xylinopis Turner, Trans. Roy. Soc. S. Austral. 27, p. 20 (1903) *(Epiplema)*; id., Ann. Queensland Mus. 10, p. 79 (1811). — Queensland

1

Dysaethria Turner.

Turner, Ann. Queensland Mus. 10, p. 80 (1911).

pasteopa Turner, Ann. Queensland Mus. 10, p. 80 (1911). — Rosewood

1

Crypsicoela Dognin.

Dognin, Ann. Soc. Ent. Belg. 46, p. 335 (1902).

subocellata Dognin, Ann. Soc. Ent. Belg. 46, p. 335 ♂ (1902). — Kolumbien

1

Dysrhombia Warren.

Warren, Novit. Zool. 3, p. 346 (1896). — Turner, Ann. Queensland Mus. 10, p. 79 (1911).

longipennis Warren, Novit. Zool. 3, p. 347 ♂ (1896). — Queensland: Cedar-Bay

1

Epiplema Herrich-Schäffer.

Herrich-Schäffer, Samml. außereur. Schmett. 1, p. 26, 38, 62 (1854). — Hampson, Fn. Brit. Ind. Moths 3, p. 125 (1895). — Turner, Ann. Queensland Mus. 10, p. 87 (1911).

Epipleura Walker, List Lep. Het. Brit. Mus. 22, p. 834, (1861) [err.].

Calledapteryx Grote, Trans. Amer. Ent. Soc. 2, p. 119 (1868).

Callidopleryx Pagenstecher, Geogr. Verbr. Schmett. p. 432 (1909) [err.].
Callizzia Packard, Monogr. Geom. Moths U. S. p. 314 (1875).
Calligia Pagenstecher, Geogr. Verbr. Schmett. p. 432 (1909) [err.].
Erosia Guénée, Spec. génér. Lép. 10, p. 34 (1857). — Walker, List Lep. Hét. Brit. Mus. 22, p. 834 (1861). — Butler, Ann. Mag. Nat. Hist. (5) 6, p. 221 (1880).
Eversmannia Staudinger, Cat. Lep. Eur. Fn. 1871, p. 159.

acinacidaria Herrich-Schäffer, Samml. Exot. Schmett. t. 63, f. 360 (1855) *(Nedusia)*. — Guénée, Spec. génér. Lep. 10, p. 38 (1852) *(Erosia)*. — Walker, List Lep. Het. Brit. Mus. 23, p. 839 (1861) *(Erosia)*. — Venezuela

acutangularia Herrich-Schäffer, Samml. Exot. Schmett. t. 58, f. 324 (1855). — Guénée, Spec. génér. Lep. 10, p. 35 (1852) *(Erosia)*. — Walker, List Lep. Het. Brit. Mus. 23, p. 837 (1861). — Brasilien

adjectaria Walker, List Lep. Het. Brit. Mus. 23, p. 840 (1861) *(Erosia)*. — Venezuela

adornata Warren, Novit. Zool. 14, p. 113 ♀ (1907). — Neu-Guinea

aequisecta Warren, Novit. Zool. 14, p. 113 ♂♀ (1907). — ,,
var. *flavicala* Warren, l. c. p. 113.

alabastraria Warren, Novit. Zool. 10, p. 259 (1903). — Salomons-Insel Isabel

albidaria Walker, List Lep. Het. Brit. Mus. 35 [Suppl. 5] p. 1844 (1866) *(Erosia)*. — Swinhoe, Cat. Lep. Het. Mus. Oxford 2, p. 220 (1900). — Mysol

albiocellata Warren, Novit. Zool. 4, p. 412 ♂ (1897). — Onoribo

albipennaria Herrich-Schäffer, Samml. Exot. Schmett. t. 63, f. 359 (1855) *(Nedusia)*. — Guénée, Spec. génér. Lep. 10, p. 38 (1852) *(Erosia)*. — Walker, List Lep. Het. Brit. Mus. 23, p. 839 (1861) *(Erosia)*. — Venezuela

albipunctata Warren, Ann. Mag. Nat. Hist. (6) 17, p. 212 (1896). — Khasia Hills

ambusta Warren, Novit. Zool. 3, p. 347 ♂ (1896). — Banda

amoena Swinhoe, Trans. Ent. Soc. London 1902, p. 596. — Neu-Guinea

amorata Packard, Monogr. Geom. Moths U. S. p. 314, t. 10, f. 33 (1876) *(Callizzia)*. — Kanada, New-York
Biologie: Dyar, Proc. Ent. Soc. Washington 5, p. 131 (1902).

amygdalipennis Warren, Novit. Zool. 4, p. 201 ♂ (1897). — Upulu Apia

angulata Warren, Novit. Zool. 3, p. 275 ♂♀ (1896). — Ferguson Island Trobriand-Insel
var. *illiturala* Warren l. c. p. 275 ♂ (1896). — Ferguson Island

Ansorgei Warren, Novit. Zool. 3, p. 203 ♀ (1901). — Afrika: Nandi Country

arcuata Warren, Novit. Zool. 3, p. 307 ♂♀ (1896). — Hampson, Journ. Bombay Nat. Hist. Soc. 11, p. 709 ♂♀ (1898). — Khasia Hills

argentisparsa Hampson, Fn. Brit. India Moths 4, p. 548 (1896). — Bhután

argillodes Turner, Trans. Roy. Soc. S. Austral. 27, p. 19 (1903). — Queensland

asinina Warren, Novit. Zool. 12, p. 380 ♂ (1905). — Natal

atrifasciata Warren, Novit. Zool. 6, p. 9 ♂ (1899). — Hampson, Journ. Bombay Nat. Hist. Soc. 14, p. 494 ♂ (1902). — Khasia Hills

atrilinea Dognin, Mém. Soc. Ent. Belg. 18, p. 187 (♂) (1911). — Kolumbien

aurata Pagenstecher, Jahrb. Nassau. Ver. Nat. 37, p. 257 (1884) *(Erosia)*; id., l. c. 41, p. 175 (1888) *(Erosia)*. — Amboina

auroguttata Poujade, Ann. Soc. Ent. France 65, p. 311 (1895) *(Erosia)*. — Mou-Pin

azela Butler, Ann. Mag. Nat. Hist. (5) 1, p. 403 (1876) *(Erosia)*; id., Ill. Lep. Het. Brit. Mus. 3, p. 42, t. 51, f. 6 (1879). — Seitz, Groß-schmett. Palaearkt. 2, p. 279, t. 48i (1912). — Japan

barbara Warren, Novit. Zool. 6, p. 10 ♂ (1899). — Uganda

basipuncta Warren, Novit. Zool. 7, p. 101 ♂ (1900). — Penang

bellissima Warren, Novit. Zool. 7, p. 101 ♂ (1900). — „

bicaudata Moore, Proc. Zool. Soc. London 1867, p. 643, t. 33, f. 12 *(Acidalia)*. — Cotes & Swinhoe, Cat. Moths of India 4, p. 576 (1888) *(Idaea)*. — Butler, Ill. Lep. Het. Brit. Mus. 7, p. 16 (1889) *(Erosia)*. — Swinhoe, Trans. Ent. Soc. London 1894, p. 166 *(Dirades)*. — Hampson, Fn. Brit. Ind. Moths 3, p. 130 (1895); id., Journ. Bombay Nat. Hist. Soc. 11, p. 710 (1898). — Leech, Ann. Mag. Nat. Hist. (6) 19, p. 186 (1897). — Seitz, Großschmett. Palaearkt. 2, p. 278 (1912). — Indien, Kaschmir

fuscifrons Warren, Novit. Zool. 3, p. 348 ♂ (1896). — Hampson, Journ. Bombay Nat. Hist. Soc. 11, p. 710 (1898). — Sikkim

bicolor Warren, Novit. Zool. 6, p. 10 ♂ (1899). — Ross-Insel

bidens Felder & Rogenhofer, Reise d. Novara Lep. t. 128, f. 38 (1875) *(Erosia)*. — Bengal

bidentata Heylaerts, Ann. Soc. Ent. Belg. 36, p. 15 (1892) *(Erosia)*. — Java

bilineata Dognin, Héteroc. nouv. 3, p. 54 (1910). — Kolumbien, Amazonas

bipartaria Walker, List Lep. Het. Brit. Mus. 26, p. 1629 (1862) *(Erosia)*.

bipunctigera Warren, Novit. Zool. 14, p. 114 ♀ (1907). — Neu-Guinea

birostrata Guénée, Spec. génér. Lep. 10, p. 35 (1852) *(Erosia)*. — Walker, List Lep. Het. Brit. Mus. 23, p. 637. — Brasilien

bistrigata Walker, List Lep. Het. Brit. Mus. 26, p. 1628 (1862) *(Erosia)*. — Ega

boarmiata Rothschild, Rep. Brit. Ornith. Union Exp. 2, No. 15, p. 104 (1916). — Neu-Guinea

brunnea Warren, Novit. Zool. 12, p. 411 ♀ (1905). — Obi Major

buruana Holland, Novit. Zool. 7, p. 578 ♂ (1900). — Buru

caesia Warren, Novit. Zool. 4, p. 25 ♀ (1897). — Manila

caesiogrisea Warren, Novit. Zool. 14, p. 191 ♂ (1907). — Argentinien

caligata Warren, Novit. Zool. 14, p. 114 ♀ (1907). — Neu-Guinea

canibrunnea Warren, Novit. Zool. 13, p. 69 ♂ (1906). — Brit. Neu-Guinea

carbo Warren, Novit. Zool. 9, p. 490 ♂ (1902). — Ost-Afrika
carilla Druce, Biol. Centr.-Amer. Lep. Het. 2, p. 127, t. 53, f. 8 (1892) *(Erosia)*. — Zentral-Amerika
carmona Swinhoe, Trans. Ent. Soc. London 1902, p. 595. — Neu-Guinea
casbiata Warren, Novit. Zool. 13, p. 69 ♀ (1906). — Brit. Neu-Guinea
cassera Druce, Biol. Centr.-Amer. Lep. Het. 2, p. 127, t. 53, t. 6, 7 (1892) *(Erosia)*. — Zentral-Amerika
castanea Warren, Ann. Mag. Nat. Hist. (6) 18, p. 231 (1896). — Hampson, Journ. Bombay Nat. Hist. Soc. 11, p. 711 (1898). — Khasia Hills
catenigera Warren, Novit. Zool. 12, p. 412 ♂ (1905). — Salomon-Insel: Bougainville
certaria Walker, List Lep. Het. Brit. Mus. 23, p. 852 (1861) *(Erosia)*. — Borneo, Sarawak
certiorata Pearsall, Bull. Brooklyn Mus. 1, p. 220 (1906) *(Callizzia)*. — Arizona
cervinaria Moore, Proc. Zool. Soc. London 1867, p. 646 *(Erosia)*. — Bengal
chalybeata Walker, List Lep. Het. Brit. Mus. 23, p. 843 (1861) *(Erosia)*. — Ega
chremesaria Schaus, Ann. Mag. Hist. (8) 11, p. 375 (1913). — Costa Rica
cinerella Warren, Novit. Zool. 13, p. 70 ♀ (1906). — Brit. Neu-Guinea
clathrata Warren, Novit. Zool. 3, p. 347 ♂ (1896). — Hampson, Journ. Bombay Nat. Hist. Soc. 11, p. 710 ♂ (1898). — Khasia Hills
coelisparsa Dognin, Héteroc. nouv. 3, p. 56 (1910). — Kolumbien
coeruleodisca Warren, Novit. Zool. 3, p. 275 ♂ ♀ (1896). — Ferguson-Insel
coeruleotincta Warren, Ann. Mag. Nat. Hist. (6) 17, p. 213 (1896). — Queensland
columbaris Butler, Ill. Lep. Het. Brit. Mus. 7, p. 82 (1889) *(Erosia)*. — Seitz, Großschmett. Palaearkt. 2, p. 279, t. 48i (1912). — Kaschmir
columbicolor Warren, Novit. Zool. 14, p. 192 ♂ (1907). — Peru
commixtata Warren, Novit. Zool. 11, p. 2 ♂ ♀ (1904). — „
concinnula Warren, Novit. Zool. 5, p. 321 ♂ (1891). — Woodlark-Insel
configurata Warren, Novit. Zool. 13, p. 70 ♀ (1906). — Brit. Neu-Guinea
conflictaria Walker, List Lep. Het. Brit. Mus. 23, p. 851 (1861) *Erosia)*. — Hampson, Ill. Lep. Het. Brit. Mus. 9, p. 33 (1893); id., Fn. Brit. Ind. Moths 3, p. 129 (1895). — Ceram, Borneo, Sarawak, Ind. Archipel, Ceylon, Indien

diffiniaria Walker, List Lep. Het. Hist. Brit. Mus. 23, p. 852 (1861) *(Erosia)*.
exprimataria Walker, List Lep. Het. Brit. Mus. 23, p. 851 (1861) *(Erosia)*.
lacteata Warren, Novit. Zool. 3, p. 276 ♀ (1896). — Ferguson Island
lilacina Moore, Lep. Ceylon 3, p. 401, t. 186, f. 4 (1887) *(Dirades)*. — Cotes & Swinhoe, Cat. — Ceylon

Moths India 4, p. 465 (1888). — Hampson, Ill. Lep. Het. Brit. Mus. 8, p. 26 (1890).	
parvula Moore, Lep. Ceylon 3, p. 402, t. 186, f. 5 (1887) *(Dirades)*. — Cotes & Swinhoe, Cat. Moths India 4, p. 466 (1888). — Hampson, Ill. Lep. Het. Brit. Mus. 9, p. 33 (1893).	„
perpolita Warren, Novit. Zool. 3, p. 349 ♂ (1896).	Banda
plicala Snellen, Tijdschr. v. Ent. 20, p. 44, t. 3, f. 23 (1877) *(Erosia)*. — Pagenstecher, Jahrb. nass. Ver. f. Nat. 37, p. 175 (1884); id. 41, p. 175 (1888) *(Erosia)*.	Java, Celebes
secularia Walker, List Lep. Het. Brit. Mus. 35 [Suppl. 5] p. 1845 (1866) *(Erosia)*.	Sumatra
confuscata Warren, Novit. Zool. 16, p. 110 ♀ (1909).	Sierra Leone
coronaria Schaus, Ann. Mag. Nat. Hist. (8) 11, p. 383 (1913).	Costa Rica
costilinea Joicey & Talbot, Bull. Hill Mus. 1 p. 175 (1921).	Zentral-Afrika
cretacea Butler, Trans. Ent. Soc. London 1881, p. 414 *(Erosia)*. — Seitz, Großschmett. Palaearkt. 2, p. 279, f. 48i (1912).	Japan: Kiuschiu
cretistriga Warren, Novit. Zool. 12, p. 412 ♂ ♀ (1905).	Salomon-Inseln, Choiseul
cretosa Swinhoe, Trans. Ent. Soc. London 1902, p. 595.	Fidschi-Inseln
curvilinea Warren, Novit. Zool. 3, p. 348 ♂ (1896).	Amboina
dealbata Warren, Novit. Zool. 13, p. 71 ♂ (1906).	Brit. Neu-Guinea
delicatula Warren, Novit. Zool. 4. p. 202, t. 5, f. 7 ♀ (1897). — Hampson, Journ. Bombay Nat. Hist. Soc. 14, p. 494 ♀ (1902).	Khasia Hills
demptaria Walker, List Lep. Het. Brit. Mus. 26, p. 1626 (1862) *(Erosia)*.	Venezuela
denigrata Warren, Novit. Zool. 3, p. 276 ♂ ♀ (1896).	Trobriand-Insel, Kiriwini
deolis Schaus, Ann. Mag. Nat. Hist. (8) 11, p. 383 (1903).	Costa Rica
desistaria Walker, List Lep. Het. Brit. Mus. 23, p. 853 (1861) *(Erosia)*. — Swinhoe, Cat. Lep. Het. Mus. Oxford 2, p. 220 (1900).	Borneo: Sarawak
Biologie: Semper, Schmett. Philipp. 2, p. 596 tab. U., f. 5, 6 (1901).	
conchiferata Moore, Lep. Ceylon 3, p. 403, t. 186, f. 11 (1887) *(Dirades)*. — Cotes & Swinhoe Cat. Moths India 4, p. 464 (1888) *(Dirades)*. — Swinhoe, Trans. Ent. Soc. London 1890, p. 201 *(Dirades)*. — Hampson, Ill. Lep. Het. Brit. Mus. 9, p. 33 (1893).	Ceylon
fuscala Warren, Novit. Zool. 4, p. 385 ♀ (1897) *(Epiplema instabilata* aberr.).	Khasias
insolila Walker, List Lep. Het. Brit. Mus. 35 [Suppl. 5] p. 1648 (1866) *(Erosia)*. — Swinhoe, Trans. Ent. Soc. London 1894, p. 115.	Flores

semibrunnea Pagenstecher, Jahrb. Nassau. Ver. Nat. 37, p. 258, t. 6, f. 6 (1884); id., l. c. 41, p. 176 (1888) *(Erosia)*.	Amboina
?*semifulva* Warren, Novit. Zool. 4, p. 25 (1897) *(Epiplema instabilata* subspec.).	Khasias
despecta Warren, Novit. Zool. 13, p. 71 ♂ (1906).	Brit. Neu-Guinea
detecta Warren, Novit. Zool. 13, p. 72 ♀ (1906).	„
detersaria Walker, List Lep. Het. Brit. Mus. 35 [Suppl. 5] p. 1649 (1866) *(Erosia)*.	Aru
discata Warren, Novit. Zool. 4, p. 202 ♂ (1897).	S.-Celebes
distincta Walker, List Lep. Het. Brit. Mus. 23, p. 844 (1861) *(Erosia)*.	Brasilien
diversipennis Warren, Novit. Zool. 6, p. 11 ♀ (1899).	Jobi-Insel: Ansus
dobboënsis Pagenstecher, Jahrb. Nassau. Ver. Nat. 39, p. 158 (1886) *(Erosia)*.	Aru
Dohertyi Warren, Novit. Zool. 11, p. 462 ♂ (1904).	Mombasa
draco Warren, Novit. Zool. 4, p. 413 ♂ ♀ (1897).	Bolivia
dryopterata Grote, Trans. Amer. Ent. Soc. 2, p. 120 (1868) *(Callidapteryx)*. — Holland, The Moth Book p. 356, t. 42, f. 17 (♂) (1903 u. 1920) *(Calledapteryx)*.	Pennsylvanien. („The Appalachian Subregion".)
Biologie: Dyar, Proc. Ent. Soc. Washington 4, p. 414—418 (1901); id., Canad. Entomol. 30, p. 155—157 (1898).	
erosiata Packard, Rep. Geol. Surv. Territ. 10, t. 3, f. 14 (1876).	
enthearia Swinhoe, Ann. Mag. Nat. Hist. (7) 17, p. 284 (1906). — Hampson, Journ. Bombay Nat. Hist. Soc. 18, p. 28 (1907).	Khasia Hills, Sikkim, Bhutan
equinata Guénée, Spec. génér. Lep. 10, p. 36 (1852) *(Erosia)*. — Walker, List Lep. Het. Brit. Mus. 23, p. 837 (1861) *(Erosia)*.	Cayenne
erasaria Christoph, Bull. Soc. Nat. Moscou 55 (2) p. 70 (1880) *(Eversmannia)*. — Staudinger, Iris 10, p. 87, t. 1724. — Seitz, Großschmett. Palaearkt. 2, p. 278, t. 48k (1912).	Amurland, Ussuri
eupeplodes Warren, Novit. Zool. 13, p. 72 ♂ (1906).	Brit. Neu-Guinea
excludaria Möschler, Abh. Senckenberg. Ges. 16, p. 262 (1890) *(Erosia)*.	Portoriko
excoria Warren, Proc. U. S. Nat. Mus. 30, p. 402 ♂ ♀ (1906).	Mexiko (Orizaba, Cordoba)
exornata Eversmann, Bull. Soc. Nat. Moscou 10 (1), p. 65 (1837) *(Acidalia)*; id., Fn. Volg.-Ural. Lep. p. 442 (1844). — Guénée, Spec. génér. Lép. 10, p. 38 (1857) *(Erosia)*. — Erschoff, Bull. Soc. Nat. Moscou 43 (2), p. 316 (1871) *(Eversmannia)*. — Graeser, Berl. Ent. Zeitschr. 1888, p. 394 *(Eversmannia)*. — Staudinger, Iris 10, p. 36 (1897). — Seitz, Großschmett. Palaearkt. 2, p. 278, t. 48i (1912).	Rußland, Ostasien, Ost- u. Mittel-Sibirien, Amurland, Ussuri-Gebiet, Japan
exornatoria Herrich-Schäffer, Eur. Schmett. 3, p. 29, f. 418 (1847). — Walker, List Lep. Het. Brit. Mus. 23, p. 834 (1861) *(Erosia)*.	

?*r a p h a* Butler, Ann. Mag. Nat. Hist. (5) 1, p. 433 (1876) *(Erosia)*; id., Ill. Lep. Het. Brit. Mus. 3, p. 42, t. 51, f. 5 (1879).	
exsanguis Warren, Novit. Zool. 12, p. 412 (1905).	Hainan. Mt. Wuchi
facilis Warren, Novit. Zool. 115 ♀ (1907).	Neu-Guinea
falcata Hampson, Journ. Bombay Nat. Hist. Soc. 14, p. 495 l. c. f. 1 ♂ (1902).	Ceylon
falcigera Warren, Novit. Zool. 13, p. 73 ♀ (1908).	Brit. Neu-Guinea
ferraria Walker, List Lep. Het. Brit. Mus. 23, p. 846 (1861) *(Erosia)*.	Ega
figuraria Walker, List Lep. Het. Brit. Mus. 23, p. 850 (1861) *(Erosia)*.	Ceylon
flavida Warren, Novit. Zool. 16, p. 123 ♀ (1909).	Malay. Halbinsel: Taiping Hills
flavigutta Warren, Ann. Mag. Nat. Hist. (6) 18, p. 231 p. 231 (1896).*)	Khasia Hills
flavistriga Warren, Novit. Zool. 8, p. 21 ♂ (1901). — Hampson, Journ. Bombay Nat. Hist. Soc. 14, p. 494.	„
flexifascia Warren, Novit. Zool. 13, p. 73 ♂♀ (1906).	Brit. Neu-Guinea
focilloides Pagenstecher, Jahrb. Ver. Nat. Nassau 37, p. 258 (1884) *(Erosia)*; id., l. c. 41, p. 176 (1888) *(Erosia)*.	Amboina
foedicosta Warren, Novit. Zool. 14, p. 115 ♂ (1907).	Neu-Guinea
fucina Swinhoe, Trans. Ent. Soc. London 1902, p. 596.	Pulo Laut
fulvata Warren, Novit. Zool. 3, p. 307 ♂, 348 ♀ (1896). — Hampson, Journ. Bombay Nat. Hist. Soc. 11, p. 710 (♂) (1898).	Khasias
fulvitincta Dognin, Hétéroc. nouv. 3, p. 57 (1911).	Kolumbien
fulvihamata Hampson, Journ. Bombay Soc. 21, p. 1243, tab. G, f. 14 (1912).	Ceylon, Pulo Laut
fumigera Warren, Novit. Zool. 12, p. 381 ♀ (1905).	Natal: Durban
funesta Warren, Novit. Zool. 14, p. 115 ♂♀ (1907).	Neu-Guinea
var. *s u b r u f a* Warren, l. c. p. 113 ♂ (1907).	
furcillata Felder & Rogenhofer, Reise d. Novara Lep. t. 128, f. 30 (1875) *(Erosia)*.	Brasilien
grisea Warren, Novit. Zool. 3, p. 276 ♀ (1896).	Trobriand-Insel: Kiriwini
guttata Warren, Novit. Zool. 12, p. 413 ♂♀ (1905).	Salomon-Insel: New Georgia
hians Felder & Rogenhofer, Reise v. Novara Lep. 1, 128, f. 20 (1876) *(Erosia)*.	Venezuela
himala Butler, Ann. Mag. Nat. Hist. (5) 6, p. 221 (1880) *(Erosia)*; id., Ill. Lep. Het. Brit. Mus. 6, p.	Himalaya, Darjeeling

---

*) Nach Hampson, Journ. Bombay Nat. Hist. Soc. XI, p. 709 (1898) Synonym zu *Epiplema moza* Butler.

47, t. 112, f. 9 (1886). — Seitz, Großschmett. Palaearkt. 2, p. 278 (1912).
var. *evanescens* Alphéraky in Romanoff, Mém. Lép. 9, p. 139 (1897). — Seitz. Großschmett. Palearkt. 2, p. 278, t. 48i (1912). — China

himerata Walker, List Lep. Het. Brit. Mus. 26, p. 1757 (1862) *(Erosia)*. — Ega

holosticta Hampson, Journ. Bombay Nat. Hist. Soc. 14, p. 495 tab. C, f. 19 ♀ (1902). — Ceylon: Matale

hyperbolica Swinhoe, Proc. Zool. Soc. London 1885, p. 528, t. 48, f. 15 *(Erosia)*. — Kurrachée

ignefumata Warren, Novit. Zool. 14, p. 192 ♂ (1907). — Peru

ignefusa Warren, Novit. Zool. 14, p. 193 ♀ (1907). — „

illineata Warren, Novit. Zool. 6, p. 11 (1899). — Natal
illiturata Warren, Novit. Zool. 5, p. 9 (1898) [non 3, p. 275, p. 1 (1896)].

illota Dognin, Hétéroc. nouv. 3, p. 54 (1911). — Kolumbien

illotata Christoph, Bull. Soc. Nat. Moscou 55 (2), p. 69 (1880) *(Eversmannia)*. — Seitz, Großschmett. Palaearkt. 2, p. 279 (1912). — Amurland

imella Druce, Biol. Centr.-Amer. Lep. Het. 2, p. 540, t. 99, f. 18 (1899) *(Erosia)*. — Guatemala

incendiata Guénée, Spec. génér. Lep. 10, p. 35, t. 8, f. 4 (1852) *(Erosia)*. — Walker, List Lep. Het. Brit. Mus. 23, p. 836 (1861) *(Erosia)*. — Brasilien

incisaria Walker, List Lep. Het. Brit. Mus. 23, p. 842 (1861) *(Erosia)*. — Druce, Biol. Centr.-Amer. Lep. Het. 2, p. 126, t. 53, f. 3, 4 (1892) *(Erosia)*. — Ega

inclarata Walker, List Lep. Het. Brit. Mus. 25 [Suppl. 5] p. 1646 (1866) *(Erosia)*. — Siam
var. *perclarata* Warren, Novit. Zool. 9, p. 346 ♀ (1902). — Salomon-Insel Kulambangra

incolorata Guénée, Spec. génér. Lep. 10, p. 37 (1852) *(Erosia)*. — Walker, List Lep. Het. Brit. Mus. 23, p. 838 (1861) *(Erosia)*. — Brasilien, Guyana, Honduras

indignaria Walker, List Lep. Het. Brit. Mus. 35 [Suppl. 5] p. 1645 (1866) *(Erosia)*. — Neu-Guinea

inelegans Warren, Novit. Zool. 5, p. 229 (1898). — Nigergebiet


ineptaria Möschler, Abh. Senckenberg. Ges. 16, p. 262 (1890) *(Erosia)*. — Portoriko

inhians Warren, Ann. Mag. Nat. Hist. (6) 17, p. 214 (1896). — Hampson, Monogr. Christmas Isl. p. 72, t. 9, f. 2 (1900). — Khasia Hills

innocens Warren. Novit. Zool. 13, p. 73 ♂ (1906). — Brit. Neu-Guinea

inquinata Warren, Novit. Zool. 10, p. 344 (1903). — Neu-Guinea, Trobriand-Insel

instabilata Walker, List Lep. Het. Brit. Mus. 35 [Suppl. 5] p. 1646 (1866) *(Erosia)*. — Hampson, Fn. Brit. Ind. Moths 3, p. 131 (1895). — Leech, Ann. Mag. Nat. Hist. (6) 19, p. 186 (1897). — China, Ceylon, Ind. Archipel,



Turner, Ann. Queensland Mus. 10, p. 81 (1911). — Seitz, Großschmett. Palaearkt. 2, p. 279 (1912). — Indien, Mysol, Sula, Flores, Salomon-Inseln, Queensland

conchiferata Moore, p. p.
insolita Walker, List Lep. Het. Brit. Mus. 35 [Suppl. 5] p. 1648 (1866) *(Erosia)* p. p.
var. *semifulva* Warren, Novit. Zool. 4, p. 25 (1897).

integrata Guénée, Spec. génér. Lep. 10, p. 37 (1852) *(Erosia)*. — Walker, List Lep. Het. Brit. Mus. 23, p. 838 (1861) *(Erosia)*. — Brasilien

integratissima nom. nov. — Amazonas
integrata Walker, List Lep. Het. Brit. Mus. 26, p. 1626 (1862) *(Erosia)* [non 23, p. 838].

intervenata Warren, Novit. Zool. 4, p. 413 ♂ ♀ (1897). — Bolivia

labecula Swinhoe, Trans. Ent. Soc. London 1902, p. 595. — Pulo Laut

laceratarla Walker, List Lep. Het. Brit. Mus. 23, p. 841 (1861) *(Erosia)*. — Amazonas

lacteata Holland, Novit. Zool. 7, p. 577 ♂ (1900). — Buru

leucosema Turner, Ann. Queensland Mus. 10, p. 82 (1911). — Kuranda

leucospilaria Walker, List Lep. Het. Brit. Mus. 23, p. 839 (1861) *(Erosia)*. — Rio Janeiro

lignicolor Dognin, Ann. Soc. Ent. Belg. 46, p. 336 ♂ (1902). — Kolumbien

lituralis Warren, Ann. Mag. Nat. Hist. (6) 17, p. 214 (1896). — Khasia Hills

lucisquamata Warren, Novit. Zool. 11, p. 494 ♂ (1904). — Peru

lustrata Schaus, Ann. Mag. Nat. Hist. (8) 11, p. 374 (1913). — Costa Rica

mabillaria Poujade, Ann. Soc. Ent. France 64, p. 311 (1895) *(Erosia)*. — Seitz, Großschmett. Palaearkt. 2, p. 280, t. 48i (1912). — W. China: Mou-Pin

mamillata Felder & Rogenhofer, Reise d. Novara Lep. t. 133, f. 18 (1875) *(Erosia)*. — Amazonas

melanosticta Joannis, Ann. Soc Ent. France 84, p. 11, t. 1, f. 2 (1915). — Mauritius

mixtilinea Warren, Novit. Zool. 14, p. 193 ♂ (1907). — Peru

moratoria Leech, Ann. Mag. Nat. Hist. (6) 19, p. 185 (1897). — Seitz, Großschmett. Palaearkt. 2, p. 279 (1912). — W. China: Mou-Pin

moza Butler, Ann. Mag. Nat. Hist. (5) 1 p. 402 (1878) *(Erosia)*; id., Ill. Lep. Het. Brit. Mus. 3, p. 42, t. 51, f. 7 (1879). — Seitz, Großschmett. Palaearkt. 2, p. 279, t. 48i (1912). — Japan: Kiu-shiu

mutans Butler, Ann. Mag. Nat. Hist. (5) 19, p. 434 (1887) *(Erosia)*. — Hampson, Journ. Bombay Nat. Hist. Soc. 14, p. 496 (1902). — Salomons-Inseln
?*leucocera* Hampson, Ill. Lep. Het. Brit. Mus. 8, p. 102, t. 150, f. 13 (1891).

nana Warren, Novit. Zool. 3, p. 348 ♂ (1896). — Tenimber Island

negro Warren, Novit. Zool. 8, p. 204 ♂ (1901). — Afrika: Nandi Country

nictitans Warren, Novit. Zool. 4, p. 203 ♂ (1897).	Malay. Halbinsel: Padang Rengas
nigricans Dognin, Hétéroc. nouv. 3, p. 55 (1911).	Kolumbien
nigrifrons Hampson, Fn. Brit. India Moths 11, p. 549 (1896).	Burma
nigrocapitata Snellen, Tijdschr. v. Ent. 17, p. 66 (1874) *(Erosia).*	Neu-Granada
nigrocupreata Walker, List Lep. Het. Brit. Mus. 23, p. 844 (1861) *(Erosia).*	Pará
nigrodorsata Warren, Novit. Zool. 8, p. 204 ♂ ♀ (1901).	Angola: Kubiriri River
nigromaculata Pagenstecher, Jahrb. Ver. Nat. Nassau 39, p. 158 (1886) *(Erosia).*	Aru
nigropustulata Warren, Novit. Zool. 12, p. 414 ♂ (1905).	Obi Major
nivea Hampson, Journ. Bombay Nat. Hist. Soc. 14, p. 496, tab. C, f. 10 ♀ (1902).	Thibet: Yatong
niveinotata Walker, List Lep. Het. Brit. Mus. 26, p. 1757 (1862) *(Erosia).*	Amazonas
niveipuncta Warren, Novit. Zool. 4, p. 25 ♂ (1897).	Manilla
nivipuncta Swinhoe, Trans. Ent. Soc. London 1902, p. 599.	
nivosaria Walker, List Lep. Het. Brit. Mus. 35 [Suppl. 5] p. 1644 (1866) *(Erosia).* — Swinhoe, Cat. Lep. Het. Mus. Oxford 2, p. 221, t. 5, f. 8 (1900).	Mysol
paucifera Walker, List Lep. Het. Brit. Mus. 35 [Suppl. 5] p. 1648 (1866) *(Erosia).*	Sula, Mysol
nubifasciaria Leech, Ann. Mag. Nat. Hist. (6) 19, p. 186 (1897). — Seitz, Großschmett. Palaearkt. 2, p. 278.	China: Chang-yang
nymphaeata Warren, Novit. Zool. 9, p. 490 (1902).	O.-Afrika
obliquefascia Dognin, Ann. Soc. Ent. Belg. 46, p. 337 (♀) (1902).	Kolumbien
obliteraria Walker, List Lep. Het. Brit. Mus. 23, p. 845 (1861) *(Erosia).*	Venezuela
obvallataria Möschler, Abh. Senckenberg. Ges. 16, p. 263 *(Erosia).*	Portoriko
ocalea Druce, Biol. Centr.-Amer. Lep. Het. 2, p. 127, t. 53, f. 9 (1892) *(Erosia).*	Z.-Amerika
ochreofumosa Warren, Ann. Mag. Nat. Hist. (6) 17, p. 215 (1896).	Khasia Hills
oculifera Warren, Novit. Zool. 3, p. 349 ♂ (1896).	Timor
oliviaria Walker, List Lep. Het. Brit. Mus. 23, p. 840 (1861) *(Erosia).*	Santarem, Venezuela
opigena Druce, Biol. Centr.-Amer. Lep. Het. 2, p. 126, t. 53, f. 1, 2 (1892) *(Erosia).*	Z.-Amerika
oppositata Walker, List Lep. Het. Brit. Mus. 26, p. 1625 (1862) *(Erosia).*	St. Domingo
ora Druce, Biol. Centr.-Amer. Lep. Het. 2, p. 128, t. 53, f. 10 *(Erosia).*	Z.-Amerika
ornata Jones, Proc. Zool. Soc. London 1921 p. 350 fig.	Brasilien
oxytypa Turner, Trans. Roy. Soc. S. Austral. 27, p. 19 (1903).	Queensland
pallidistriata Warren, Novit. Zool. 6, p. 321 ♀ (1899).	Penang
pallifrons Warren, Novit. Zool. 11, p. 2 ♀ (1904).	Peru

paradeicta Warren, Novit. Zool. 4, p. 26 ♀ (1897). — S. Celebes

particolor Warren, Novit. Zool. 3, p. 277 ♂ ♀ (1896). — Ferguson Island

parvaria Walker, List Lep. Het. Brit. Mus. 23, p. 841 (1861) *(Erosia)*. — Ega

pauxillata Snellen, Tijdschr. v. Ent. 17, p. 66, t. 5, f. 2—4 (1894) *(Erosia)*. — Barranquilla

pectinicornis Hampson, Fn. Brit. India Moths 4, p. 549 (1896). — Sikkim

perpulchra Warren, Novit. Zool. 9, p. 491 ♂ ♀ (1902). — O.-Afrika

plagifera Butler, Trans. Ent. Soc. London 1881, p. 414. — Seitz, Großschmett. Palaearkt. 2, p. 279, t. 48i (1912). — China, Japan: Yokohama

planilinea Swinhoe in Semper, Schmett. Philipp. 2, p. 595, t. 62, f. 16 (1901). — Philippinen

poecilaria Swinhoe, Ann. Mag. Nat. Hist. (7) 16, p. 626 (1905). — Sumatra

Polei Hampson, Journ. Bombay Nat. Hist. Soc. 18, p. 27, tab. E, f. 1 ♂ ♀ (1907). — Ceylon, Hongkong

praeflorata Möschler, Abh. Senckenberg. Ges. 14, p. 69 (1886) *(Erosia)*. — Jamaika

proclivaria Schaus, Ann. Mag. Nat. Hist. (8) 11, p. 374 (1913). — Costa Rica

pseudobidens Strand nom. nov. — Amboina
n. sp.(?) Pagenstecher, Jahrb. Nass. Naturk. 37, p. 259 (1884) *(Erosia)*.

pseudomoza Strand, Archiv für Naturgeschichte 81, A. 1, p. 142 ♂ (1916); id., Entom. Mitteil. 6, p. 317, t. 8, f. 5 ♂ (1917). — Formosa

purpurata Dognin, Hétéroc. nouv. 3, p. 55 (1911). — Kolumbien

quadricaudata Walker, List Lep. Het. Brit. Mus. 23, p. 847 (1861); l. c. 26, p. 1757 (1862); l. c. 35, p. 1643 (1866) *(Erosia)*. — Moore, Lep. Ceylon 3, p. 401, f. 186, f. 1a (1887) *(Erosia)*. — Cotes & Swinhoe, Cat. Moths India 4, p. 466 (1888) *(Dirades)*. — Hampson, Ill. Lep. Het. Brit. Mus. 9, p. 33 (1893). — Swinhoe, Trans. Ent. Soc. London 1894, p. 165. — Hampson, Fn. Brit. Ind. Moths 3, p. 127 (1895). — Pagenstecher, Jahrb. Nassau. Ver. Naturk. 41, p. 176 (1888) *(Erosia)*. — Canara, Neu-Guinea Ceylon, Amboina

subproximans Warren, Novit. Zool. 3, p. 277 (1896). — Fergusson-Island

varisaria Walker, List Lep. Het. Brit. Mus. 23, p. 848 (1861) *(Erosia)*; id., l. c. 26, p. 1757 (1862).

Biologie: Moore, Lep. Ceylon 3, p. 401, t. 1, f. 1 (1887). — Semper, Schmett. Philipp. 2, p. 596, tab. U, f. 3 u. 4 (1901).

quadripunctata Wileman, Entomologist 49, p. 100 (1916). — Formosa

quadristrigata Walker, List Lep. Het. Brit. Mus. 35, p. 1647 (1866) *(Erosia)*. — Hampson, Fn. Brit. Ind. Moths 3, p. 128 (1895). — Mysol? Celon, Malayischer Archipel, Queensland

?*oxytypa* Turner, Trans. Roy. Soc. S. Austral. 27, p. 19 (1903).

pulverea Hampson, Ill. Lep. Het. Brit. Mus. 9, p. 137, t. 157, f. 4 (1893).

quadruncata Walker, List Lep. Het. Brit. Mus. 26, p. 1627 (1862) *(Erosia)*.	Brasilien
rapha Butler, Ann. Mag. Nat. Hist. (5) 1, p. 403 (1876); Ill. Lep. Het. Brit. Mus. 3, p. 42, t. 51. f. 5 (1879) *(Erosia)*.	Indien
raripuncta Dognin, Ann. Soc. Ent. Belg. 46, p. 336 ♀ (1902).	Ecuador
rectangularia Jones, Proc. Zool. Soc. London 1921 p. 351, fig.	Brasilien
rectilinea Warren, Novit. Zool. 11, p. 3 ♂ (1904).	Peru
rectimarginata Hampson, Journ. Bombay Nat. Hist. Soc. 14, p. 495, tab. C, f. 27 ♂ (1902).	Indien: Kanara, Satara
repandaria Walker, Char. undescr. Lep. Het. 1869, p. 105 *(Erosia)*.	Bogotá
retracta Hampson, Journ. Bombay Nat. Hist. Soc. 11, p. 709 ♀ (1898).	Sikkim
reversata Warren, Novit. Zool. 14, p. 194 ♂ (1907).	Peru
rhacina Swinhoe, Ann. Mag. Nat. Hist. (8) 10, p. 339 (1917).	Khasia Hills
rostrifera Warren, Novit. Zool. 11, p. 4 ♂ ♀ (1904).	Peru
rotunda Warren, Novit. Zool. 16, p. 110 ♂ (1909).	Sierra Leone
rotundata Warren, Novit. Zool. 12, p. 307 ♂ (1905).	Paraguay
rufimargo Warren, Novit. Zool. 3, p. 349 ♂ ♀ (1896). — Hampson, Journ. Bombay Nat. Hist. Soc. 11, p. 710 (1898).	Sikkim
rufula Warren, Novit. Zool. 7, p. 123 ♀ (1900).	Ecuador
ruptaria Moore, Descr. Lep. India Atkinson 1, p. 259 (1883). — Seitz, Großschmett. Palaearkt. 2, p. 279 (1912).	Kaschmir Calcutta
ruptifascia Warren, Novit. Zool. 4, p. 204 ♂ (1897).	Bali
scabra Warren, Novit. Zool. 11, p. 4 ♀ (1904).	Peru
schematica Turner, Ann. Queensland Mus. 10, p. 83 (1911).	Kuranda
schidacina Butler, Trans. Ent. Soc. London 1881, p. 415 *(Erosia)*. — Leech, Ann. Mag. Nat. Hist. (6) 19, p. 186 (1897). — Seitz, Großschmett. Palaearkt. 2, p. 279, t. 48i.	China, Japan: Hokkaido
scissata Walker, List Lep. Het. Brit. Mus. 35 [Suppl. 5] p. 1647 (1866) *(Erosia)*. — Swinhoe, Cat. Lep. Het. Mus. Oxford 2, p. 220 (1900).	Mysol
scopocera Hampson, Brit. India Moths 4, p. 549 (1896).	Ceylon
semipicta Warren, Novit. Zool. 11, p. 462 ♂ ♀ (1904).	Mombasa
sigillata Mabille, Ann. Soc. Ent. France 67, p. 228 (1897) *(Erosia)*.	Madagaskar
signifera Warren, Novit. Zool. 9, p. 347 ♂ ♀ (1902).	Salomon-Inseln, Florida, Kilambangra
similaria Walker, List Lep. Het. Brit. Mus. 23, p. 839 (1861) *(Erosia)*.	Rio Janeiro
similata nom. nov. *similaria* Schaus, Ann. Mag. Nat. Hist. (8) 11, p. 375 (1913) [non Walker 1861].	Costa Rica
simplex Warren, Novit. Zool. 6, p. 322 ♀ (1899). — Hampson, Journ. Bombay Nat. Hist. Soc. 14, p. 495 ♀ (1902).	Nilgiris

sordida Warren, Novit. Zool. 3, p. 278 ♂ (1896).	Ferguson Island
sparsipunctata Warren, Novit. Zool. 10, p. 289 (1903).	Salomon-Insel, Isabel
spissata Warren, Novit. Zool. 6, p. 322 (1899).	SO.-Island
sponsa Swinhoe, Ann. Mag. Nat. Hist. (6) 16, p. 293 (1895).	Shillong
stereogramma Turner, Trans. Roy. Soc. S. Austral. 27, p. 22 (1903) *(Dirades)*; id., Ann. Queensland Mus. 10, p. 81 (1911).	Queensland
stigmatalis Warren, Novit. Zool. 10, p. 259 (1903).	Salomon-Insel Isabel
straminea Warren, Novit. Zool. 14, p. 194 ♀ (1907).	Peru
styx Butler, Trans. Ent. Soc. London 1881, p. 416. — Seitz, Großschmett. Palaearkt. 2, p. 279, t. 48i (1912).	Japan: Hokkaido
subalbata Guénée, Spec. génér. Lep. 10, p. 37 (1852) *(Erosia)*. — Walker, List Lep. Het. Brit. Mus. 23, p. 850 (1861) *(Erosia)*.	Borneo
subdistincta Warren, Novit. Zool. 12, p. 381 ♀ (1905).	Sierra Leone
subflavida Swinhoe, Ann. Mag. Nat. Hist. (7) 17, p. 553 (1906). — Hampson, Journ. Bombay Nat. Hist. Soc. 18, p. 28, tab. E, f. 2 ♂ ♀ (1907).	N. Kanara, Ceylon, Singapore, Java, Pulo Laut, Japan
subpatulata Walker, List Lep. Het. Brit. Mus. 26, p. 1628 (1862) *(Erosia)*.	Brasilien
subsignaria Walker, List Lep. Het. Brit. Mus. 23, p. 845 (1861) *(Erosia)*.	„
subtruncata Walker, List Lep. Het. Brit Mus. 26, p. 1627 (1862) *(Erosia)*.	„
suffusa Swinhoe, Trans. Ent. Soc. Loudon 1902, p. 596.	Ferguson Island
suisharyonis Strand, Arch. f. Naturg. 81, A. 1, p. 143 ♀ (1916); id. Entom. Mitteil. 6, p. 317, t. 8, f. 3 ♀ (1917).	Formosa
sulcata Warren, Novit. Zool. 14, p. 116 ♂ ♀ (1907).	Neu-Guinea
taminata Warren, Novit. Zool. 13, p. 74 ♂ (1906).	Brit. Neu-Guinea
thiocosma Turner, Ann. Queensland Mus. 10, p. 82 (1911).	Kuranda
triangulifera Warren, Novit. Zool. 12, p. 8 (1905).	Salomon-Insel: Guizo Island Guadalcanar
triumbrata Warren, Novit. Zool. 9, p. 491 ♂ ♀ (1902).	
truncataria Walker, List Lep. Het. Brit. Mus. 23, p. 847 (1861) *(Erosia)*.	S.-Afrika
turbidaria Walker, List Lep. Het. Brit. Mus. 26, p. 1629 (1862) *(Erosia)*.	Patria?
turbinata Warren, Novit. Zool. 14, p. 194 ♂ (1907).	Peru
umbrimargo Warren, Novit. Zool. 12, p. 414 ♂ (1905).	Salomon-Inseln
unangulata Warren, Novit. Zool. 3, p. 350 ♂ (1896).	Batchian
inangulata Swinhoe, Trans. Ent. Soc. London 1902, p. 599.	Choiseul Island

urapterygia Rothschild, Rep. Brit. Ornith. Union Exped. 2, No. 15, p. 105 (1916). — Neu-Guinea
ustanalis Warren, Novit. Zool. 12, p. 414 ♂ ♀ (1905). — Salomon-Insel: Choiseul Island
ustiplaga Warren, Novit. Zool. 12, p. 414 ♂ (1905). — Hainan, Mt. Wuchi
vacuata Warren, Novit. Zool. 12, p. 416 ♂ ♀ (1905). — Salomon-Insel: Choiseul Island
veninotata Warren, Novit. Zool. 12, p. 42 ♀ (1906) *(Erosia)*. — Costa Rica
vermiculata Dognin, Hétéroc. nouv. 3, p. 56 (1911). — Kolumbien
vialactea Warren, Novit. Zool. 13, p. 75 ♀ (1906). — Brit. Neu-Guiena
vinculata Warren, Novit. Zool. 12, p. 416 ♂ (1905). — „ Sariba Island
vulpecula Warren, Novit. Zool. 11, p. 5 ♀ (1904). — Peru: Santo Domingo
Warreni Rothschild, Rep. Brit. Ornith. Union Exped. 2, No. 15, p. 104 (1916). — Neu-Guinea
Warreniana nom. nov.
lignicolor Warren, Novit. Zool. 12, p. 413 ♂ ♀ (1905) [non Dognin 1902]. — Salomon-Insel: Bougainville
Wollastoni Rothschild, Rep. Brit. Ornith. Union Exped. 2, No. 15, p. 104 (1916). — Neu-Guinea
273

Alaplena Jones.

castraria Jones, Proc. Zool. Soc. London 1921, p. 352. — Brasilien
1

Philagraula Hulst*)

Hulst, Trans. Amer. Ent. Soc. 23, p. 310 (1896).
Slossoniae Hulst, Trans. Amer. Ent. Soc. 23, p. 310 (1896). — Florida
1

Paroecia Warren.

Warren, Novit. Zool. 14, p. 117 (1907).
acutepicta Warren, Novit. Zool. 14, p. 118 ♂ (1907). — Neu-Guinea
1

Phazaca Walker.

Walker, List Lep. Het. Brit. Mus. 27, p. 20 (1863).
erosioides Walker, List Lep. Het. Brit. Mus. 27, p. 21 ♂ (1863). — Warren, Novit. Zool. 10, p. 345 (1903) *(Epiplema)*. — Borneo: Sarawak, Ferguson-Island Andamanen
?*kohistaria* Swinhoe, Ann. Mag. Nat. Hist. (7) 2, p. 307 (1900) *(Epiplema)*.
undulata Warren, Novit. Zool. 3, p. 278 ♀ (1896) *(Epiplema)*.
1

---

*) ? = *Epiplema* Herrich-Schäffer (Warren i. litt.).

Platerosia Warren.

Warren, Novit. Zool. 3, p. 279 (1896).

albipennis Warren, Novit. Zool. 14, p. 118 ♂ (1907). — Neu-Guinea
rotundipennis Warren, Novit. Zool. 3, p. 280 ♂ (1896). — Ferguson-Island
2

Powondrella nom. nov.

Polygonia Geyer, Zutr. Samml. Exot. Schmett. p. 14, f. 849 (1850)*) [non Hübner 1816].

cingillaria Geyer, Zutr. Samml. Exot. Schmett. p. 14, f. 849 (1850) *(Polygonia)*. — Guénée, Spec. génér. Lep. 10, p. 38 (1852) *(Erosia)*. — Walker, List Lep. Het. Brit. Mus. 23, p. 838. — Rio de Janeiro
1

Symphytophleps Warren.

Warren, Novit. Zool. 16, p. 69 (1909).

latifasciata Warren, Novit. Zool. 16, p. 69 ♂ (1909). — Peru
1

Thysanocraspeda Warren.

Warren, Novit. Zool. 11, p. 9 (1904).

geminipuncta Warren, Novit. Zool. 11, p. 10 ♂ ♀ (1904). — Peru
inornata Warren, Novit. Zool. 11, p. 10 ♂ ♀ (1904). — „
nudata Warren, Novit. Zool. 12, p. 309 ♂ (1905). — „
ochodontaria Snellen, Tijdschr. v. Ent. 17, p. 65 (1874) *(Erosia)*. — Warren, Novit. Zool. 11, p. 10 (1904). — Cuequeta
semicastanea Warren, Novit. Zool. 11, p. 10 ♂ ♀ (1910). — Peru
squamiplaga Warren, Novit. Zool. 11, p. 11 ♂ (1910). — „
6

Antiplecta Warren.

Warren, Novit. Zool. 7, p. 121 (1900).

caesia Warren, Proc. U. S. Nat. Mus. 30, p. 399 ♂ ♀ (1906). — Mexiko (Jalapa, Orizaba)
cinerascens Warren, Proc. U. S. Nat. Mus. 30, p. 400 ♂ ♀ (1906). — Cayenne
nigripleta Warren, Proc. U. S. Nat. Mus. 30, p. 400 ♂ (1906). — Mexiko (Jalapa)
pusilla Warren, Novit. Zool. 7, p. 121 ♂ (1900). — Dominica
triangularis Warren, Proc. U. S. Nat. Mus. 30, p. 401 ♂ ♀ (1906). — Mexiko (Orizaba)
5

Chundana Walker.

Walker, Journ. Linn. Soc. London 6, p. 116 (1862).

Paradirades Warren, Novit. Zool. 3, p. 353 (1896).

fulvilunata Warren, Novit. Zool. 5, p. 230 (1898) *(Paradirades)*. — Neu-Guinea
lugubris Walker, Journ. Linn. Soc. London 6, p. 117 (1862); id., List Lep. Het. Brit. Mus. 31 [Suppl. 1] p. 244 (1864) *(„luguloris")*. — — Sarawak, Amboina, Queensland,

*) Warren in litt.

Swinhoe, Cat. Lep. Het. Mus. Oxford 1, p. 105, t. 5, f. 20 (1892). — Neu-Guinea, Bali

assimilis Warren, Novit. Zool. 3, p. 353 ♂ ♀ (1896) *(Paradirades)*. — Swinhoe, Trans. Ent. Soc. London 1902, p. 597.

farinosa Warren, Novit. Zool. 6, p. 12 ♂ (1899) *(Paradirades)*.

maculata Warren, Novit. Zool. 4, p. 205 ♂ (1897) *(Paradirades)*.

phaeospila Turner, Trans. Roy. Soc. S. Australia 38 p. 247 (1914). — Neville Island, Bathurst-Island

3

Dirades Walker.

Walker, List Lep. Brit. Mus. 35 [Suppl. 5] p. 1650 (1866). — Butler, Trans. Ent. Soc. London 1886, p. 415. — Hampson, Fn. Brit. Ind. Moths 3, p. 132 (1895). — Turner, Ann. Queensland Mus. 10, p. 77 (1911).

acutilinea Warren, Novit. Zool. 4, p. 384 ♀ (1879). — Penang

adjutaria Walker in: Tennent, Sketches Nat. Hist. Ceylon 1861, p. ?; id., List Lep. Brit. Mus. 23, p. 849 (1861) *(Erosia)*. — Hampson, Ill. Typ. Lep. Het. Brit. Mus. 8, p. 26 (1891) *(Erosia)*. — Moore, Lep. of Ceylon 3, p. 400, t. 186, f. 9 (1887). — Cotes & Swinhoe, Cat. Moths of India 4, p. 464 (1888). — Ceylon, Nilgiri Hills Ganjam, Bombay

binotata Walker, List Lep. Brit. Mus. 35 [Suppl. 5] p. 1650 (1866). — Moore, Lep. Ceylon 3, p. 399, t. 186, f. 19 (1887). — Cotes & Swinhoe, Cat. Moths of India 4, p. 464 (1888). — Hampson, Ill. Typ. Lep. Het. Brit. Mus. 8, p. 26 (1891). — Ceylon

thecleata Butler [non Guénée], Proc. Zool. Soc. London 1883, p. 171 *(Erosia)*. — Swinhoe, Proc. Zool. Soc. London 1884, p. 863 *(Erosia)*. — Butler, Ill. Typ. Lep. Het. Brit. Mus. 7, p. 16 (1889). — Hampson, Ill. Typ. Lep. Het. Brit. Mus. 9, p. 33 (1893); id., Fn. Brit. Ind. Moths 3, p. 132 (1895). — Indien

verticaria Felder & Rogenhofer, Reise d. Novara Lep. t. 128, f. 7 (1875) *(Erosia)*. — Ceylon

albilinea Warren, Novit. Zool. 6, p. 320 ♂ (1899). — Neu-Guinea

albula Warren, Novit. Zool. 5, p. 228 (1898). — Queensland

alikangensis Strand, Arch. f. Naturg. 81, A. 1, p. 139 ♂ (1916). — Formosa

aluensis Butler, Ann. Mag. Nat. Hist. (5) 19, p. 435 (1887). — Salomon-Inseln

ambigua Warren, Ann. Mag. Nat. Hist. (6) 18, p. 230 (1896). — Hampson, Journ. Bombay Nat. Hist. Soc. 11, p. 711 ♂ ♀ (1898). — Khasia Hills

angulifera Warren, Novit. Zool. 9, p. 489 ♂ ♀ (1902). — O.-Afrika

brunnea Warren, Novit. Zool. 14, p. 112 ♂ (1907). — Neu-Guinea

columbaris Warren, Novit. Zool. 4, p. 384 ♀ (1897). — Penang

conifera Moore, Lep. Ceylon 3, p. 399, t. 186, f. 8 (1887). — Ceylon

corrasa Warren, Novit. Zool. 13, p. 68 ♂ (1906). — Brit. Neu-Guinea

crepuscularis Hampson, Ill. Lep. Het. Brit. Mus. 9, p. 138, t. 167, f. 12 (1893). — Ceylon

crebata Warren, Novit. Zool. 14, p. 191 ♂ (1907). — Peru: La Oroya

erectinota Warren, Novit. Zool. 6, p. 320 ♂♀ (1899).	Ron-Insel, Dorei
erosioides Walker, List Het. Brit. Mus. 27, p. 21 ♀ (1863). — Hampson, Journ. Bombay Nat. Hist. Soc. 18, p. 29 ♂♀ (1907).	Andamanen: Port Blair, Borneo: Sarawak
? *kohistaria* Swinhoe, Ann. Mag. Nat. Hist. (7) 6, p. 307. — Hampson, Journ. Bombay Nat. Hist. Soc. 14, p. 496 ♀ (1902).	Ceylon
exangulata Warren, Novit. Zool. 4, p. 200 ♂ (1897).	N. Borneo
formosibia Strand, Arch. f. Naturg. 81, A. 1, p. 141 (♂) (1916); id., Entom. Mitteil. 6, p. 317, t. 8, f. 8 (♂) (1917).	Formosa
funebris Hampson, Journ. Bombay Nat. Hist. Soc. 18, p. 29 ♀ (1907).	Bombay
hepaticata Warren, Novit. Zool. 3, p. 345 ♀ (1896). — Hampson, Journ. Bombay Nat. Hist. Soc. 11, p. 711 ♀ (1898).	Khasias
infans Warren, Novit. Zool. 7, p. 122 ♀ (1900).	Jamaika Newcastle
integra Warren, Novit. Zool. 4, p. 200 ♀ (1897).	Lombok
irrorata Moore, Lep. Ceylon 3, p. 402, t. 186, f. 10 (1887).	Ceylon
kosemponicola Strand, Archiv f. Naturg. 81, A. 1, p. 138 (1916); id., Entom. Mitteil. 6, p. 317, t. 8, f. 4 (♀) (1917).	Formosa
lactea Warren, Novit. Zool. 4, p. 385 ♂ (1897).	Sw. Afrika
latibrunnea Warren, Novit. Zool. 3, p. 345 ♀ (1896).	Lifu
latifasciata Moore, Lep. Ceylon 3, p. 402, t. 186, f. 12 (1887).	Ceylon
Biologie: Moore, l. c., p. 402, t. 186, f. 12b (1887).	
leucocephala Walker, List Lep. Het. Brit. Mus. 26, p. 1758 (1862) *(Erosia)*. — Swinhoe, Cat. Lep. Het. Mus. Oxford 2, p. 222, (1900). — Turner, Trans. Roy. Soc. S. Austral. 27, p. 22 (1903).	Moreton Bay
stolida Butler, Trans. Ent. Soc. London 1886, p. 415 *(Erosia)*.	Australien
leucocera Hampson, Ill. Lep. Het. Brit. Mus. 8, p. 102, t. 150, f. 13 (1891).	Salomon-Inseln
lugens Warren, Novit. Zool. 4, p. 202 ♂♀ (1897).	Upolu: Apia, Queensland: Geraldton
multistrigaria Moore, Descr. Ind. Lep. Atkinson 1, p. 260 (1888).	Indien
niveicosta Warren, Novit. Zool. 13, p. 68 ♂♀ (1906).	Brit. Neu-Guinea
nubila Hampson, Journ. Bombay Nat. Hist. Soc. 18, p. 28, tab. E, f. 3 ♂ (1907).	Ceylon: Uva
obscuraria Moore, Lep. Ceylon 3, p. 400, t. 186, f. 6 (1887).	Ceylon
onusta Warren, Novit. Zool. 9, p. 346 ♀ (1902).	Batchian
palaca Walker, List Lep. Het. Brit. Mus. 23, p. 849 (1861) *(Erosia)*. — Moore, Lep. Ceylon, 3, p. 400, t. 186, f. 2 (1887).	Ceylon
pendula Warren, Novit. Zool. 6, p. 9 ♂ (1899).	Bali
prunaria Moore, Lep. of Ceylon 3, p. 400 (1887).	Ceylon
pygmeata Warren, Novit. Zool. 4, p. 201 ♂ (1897).	Batchian
var. *plumbea* Warren, l. c. p. 201 ♂ (1897).	

reticulata Moore, Descr. India Lep. Atkinson 1, p. 259 (1888). — Indien

rhagavata Walker, List Lep. Brit. Mus. 23, p. 848 (1861) *(Erosia)*. — Moore. Lep. Ceylon 3, p. 400, t. 186, f. 3 (1887). — Ceylon

semicarnea Warren, Novit. Zool. 14, p. 112 ♂ ♀ (1907). — Neu-Guinea

strigulicosta Strand, Arch. f. Naturg. 81, A. 1, p. 137 ♀ (1916); id., Entom. Mitteil. 6, p. 317, t. 8, f. 7 ♀ (1917). — Formosa

subdentata Walker, List Lep. Brit. Mus. 35, p. 1651 (1866). — Mysol

theclata Guénée, Spec. génér. Lép. 10, p. 36 (1852) *(Erosia)*. — Walker, List Lep. Het. Brit. Mus. 23, p. 846. — Sierra Leone

tridentata Heylaerts. Ann. Soc. Ent. Belg. 36, p. 14 (1892). — Java

unicauda Dudgeon, Journ. Bombay Nat. Hist. Soc. 16, p. 404 ♂ ♀ (1905); cf. Zool. Rec. 42, Ins. p. 264 (1907).

vespertilio Warren, Novit. Zool. 6, p. 320 ♂ (1899). — Sudest-Island

48

Diradopsis Warren.

Warren, Novit. Zool. 5, p. 425 (1898).

alberta Warren, Novit. Zool. 13, p. 69 ♂ ♀ (1906). — Brit. Neu-Guinea

perfallax Warren, Novit. Zool. 5, p. 425 (1898). — Key-Island

2

Gathynia Walker.

Walker, List. Lep. Het. Brit. Mus. 26, p. 1639 (1862).

albibasis Warren, Novit. Zool. 3, p. 278 ♂ ♀ (1896). — Fidschi, Australien, Ferguson-Island
ab. s e m i n i g r a Warren, l. c., 4, p. 204 (1897).

auratiplaga Warren, Novit. Zool. 8, p. 7 ♂ (1901). — Nyassaland-Fort Johnston

biocellata Warren, Novit. Zool. 12, p. 308 ♂ (1905). — Peru: San Domingo

cassata Warren, Proc. U. S. Nat. Mus. 30, p. 403—404 ♀ (1906). — Mexiko (Jalapa), Vera Cruz

cesena Swinhoe, Trans. Ent. Soc. London 1902, p. 598. — Pulo Laut

cythera Swinhoe, Trans. Ent. Soc. London 1902, p. 598. — Fidschi-Inseln

dilacerata Guénée, Spec. génér. Lép. 10, p. 37 (1852) *(Erosia)*. — Walker, List Lep. Brit. Mus. 23, p. 838 (1861) *(Erosia)*. — Warren, Nov. Zool. 11, p. 495 (1904). — Cayenne

divaricata Warren, Novit. Zool. 4, p. 26 ♂ (1897). — S. Celebes

fasciaria Leech, Ann. Mag. Nat. Hist. (6) 19, p. 187 (1897). — Korea

ferrugata Walker, List Lep. Het. Brit. Mus. 35 [Suppl. 5] p. 1651 (1866) *(Dirades)*. — Hampson, Ill. Lep. Het. Brit. Mus. 9, p. 138, t. 157, f. 7 *(Erosia)*. — Ceylon

fumicosta Warren, Ann. Mag. Nat. Hist. (6) 17, p. 215 (1896). — Khasia Hills

latonaria Schaus, Ann. Mag. Nat. Hist. (8) 11, p. 386 (1913). — Costa Rica
lignata Warren, Novit. Zool. 4, p. 294 ♂ (1897). — Bali
miraria Walker, List Lep. Brit. Mus. 26, p. 1639 (1862). — Moore, Lep. of Ceylon 3, p. 398, t. 187, f. 4 (1887). — Cotes & Swinhoe, Cat. Moths of India 4, p. 466 (1888). — Hampson, Ill. Lep. Het. Brit. Mus. 8, p. 26 (1891); id., l. c. 9, p. 34 (1893); id., Fn. Brit. Ind. Moths 3, p. 134 (1895). — Ceylon
nigella Warren, Novit. Zool. 14, p. 117 ♂ (1907). — Neu-Guinea
nigrescens Warren, Novit. Zool. 3, p. 279 ♂ ♀ (1896). — Ferguson-Island
ochripennis Warren, Proc. U. S. Nat. Mus. 30, p. 404 ♀ (1906). — Mexiko (Orizaba)
orbifera Warren, Novit. Zool. 4, p. 414 ♀ (1897). — Iquitos
pernigrata Warren, Novit. Zool. 3, p. 350 ♂ (1896). — Hampson, Journ. Bombay Nat. Hist. Soc. 11, p. 712, tab. A, f. 24 ♂ (1898). — Khasia Hills, Ceylon
simulans Butler, Ill. Lep. Het. Brit. Mus. 7, p. 81, t. 133, f. 6, 7 (1889). — Kangra
vinosa Warren, Novit. Zool. 3, p. 351 ♂ (1896). — Timor: Dili

21

Gymnoplocia Warren.

Warren, Novit. Zool. 12, p. 42 (1905).

brevidens Dognin, Ann. Soc. Ent. Belg. 46, p. 473 (1902) *(Epiplema)*. — Venezuela
parvidens Warren, Novit. Zool. 12, p. 42 (1905).

1

Heteroplema Warren.

Warren, Novit. Zool. 9, p. 492 (1902).

dependens Warren, Novit. Zool. 9, p. 492 ♂ ♀ (1902). — Ostafrika: Escarpment

1

Homoplexis Warren.

Warren, Novit. Zool. 14, p. 117 (1907).

planimargo Warren, Novit. Zool. 13, p. 74 ♀ (1906) *(Epiplema)*; id., l. c. 14, p. 117 (1907) *(Homoplexis)*. — Brit. Neu-Guinea

1

Lobogethes Warren.

Warren, Novit. Zool. 3, p. 351 (1896). — Turner, Ann. Queensland Mus. 10, p. 78 (1911).

interrupta Warren, Novit. Zool. 3, p. 352 ♂ ♀ (1896). — Turner, Trans. Roy. Soc. S. Austral. 27, p. 23 (1903). — Queensland: Coomooboolaroo
despecta Warren, Novit. Zool. 5, p. 229 (1898) *(Gathynia)*.
radiata T. P. Lucas, Proc. Roy. Soc. Austral. 13, p. 17 (1898) *(Erosia)*.

1

Macrostylodes Warren.

Warren, Novit. Zool. 3, p. 352 (1896).

Species	Locality
deformis Warren, Novit. Zool. 3, p. 352 ♂ (1896).	Neu-Guinea: Humboldt-Bay

1

Monobolodes Warren.

Warren, Novit. Zool. 5, p. 229 (1898). — Turner, Ann. Queensland Mus. 10, p. 78 (1911).

Species	Locality
fuscibrunnea Warren, Novit. Zool. 6, p. 323 ♂ ♀ (1899).	Neu-Guinea: Milne-Bay
pallens Warren, Novit. Zool. 6, p. 11 ♀ (1899).	Woodlark-Island
rectifascia Warren, Novit. Zool. 6, p. 12 ♀ (1899).	Suer, Mefor
schistacea Warren, Novit. Zool. 12, p. 8 ♂ ♀ (1905).	Salomons-Inseln: Guizo Island, Treasura Island
subfalcata Warren, Novit. Zool. 5, p. 230 (1898).	Queensland
ustimacula Warren, Novit. Zool. 10, p. 344 (1903).	Neu-Guinea

6

Neodirades, Warren.

Warren, Novit. Zool. 11, p. 8 (1904).

Species	Locality
spurcata Warren, Novit. Zool. 11, p. 8 ♂ ♀ (1904).	Peru: Santo Domingo

1

Balantiucha Turner.

Turner, Ann. Queenslaud Mus. 10, p. 76 (1910).

Species	Locality
decorata Warren, Novit. Zool. 5, p. 228 (1898) *(Dirades).* — Turner, Ann. Queensland Mus. 10, p. 77 (1911).	Queensland
microthyris Turner, Ann. Queensland Mus. 10, p. 76 (1911).	Thursday-Island
mutans Butler, Ann. Mag. Nat. Hist. (5) 19, p. 434 (1887) *(Erosia).* — Swinhoe, Trans. Ent. Soc. London 1902, p. 597 *(Dirades).* — Turner, Trans. Roy. Soc. S. Austral. 27, p. 21 (1903) *(Dirades);* id., Ann. Queensland Mus. 10, p. 77 (1911). *annulifer* Warren, Novit. Zool. 3, p. 274 ♂ (1896) *(Dirades).* ?*leucocera* Hampson, Ill. Lep. Het. Brit. Mus. 8, p. 102, t. 150, f. 13 (1891) *(Dirades).* *rhombifera* Warren, Novit. Zool. 4, p. 203 ♀ (1897) *(Dirades).*	Salomons-Inseln, Alu, Nilgiri Hills Trobriand Island, Cedar-Bay, Timor
subspec. *brunnea* Rothschild, Rep. Brit. Ornith. Expéd. 2. No. 15, p. 104 (1916).	Niederländisch Neu-Guinea
platyphylla Turner, Trans. Roy. Soc. S. Austral. 27, p. 21 (1903) *(Dirades);* id., Ann. Queensland Mus. 10, p. 76 (1909).	Queensland
seminigra Warren, Novit. Zool. 3, p. 346 ♀ (1896) *(Dirades).* — Turner, Ann. Queensland Mus. 10, p. 77 (1911).	„

5

Acachmena Turner.

Turner, Ann. Queensland Mus. 10, p. 75 (1911).

euthysticha Turner, Ann. Queensland Mus. 10, p. 75 (1911). — Kuranda

1

Neoplema Warren.

Warren, Novit. Zool. 11, p. 496 (1904).

candidata Warren, Novit. Zool. 11, p. 496 ♀ (1904). — Peru: Santo Domingo

1

Notoptya Warren.

Warren, Proc. U. S. Nat. Mus. 30, p. 406 (1906).

fuscularia Warren, Proc. U. S. Nat. Mus. 30, p. 406 ♂ (1906). — Brasilien (Sao Paulo)

1

Nyctibadistes Warren.

Warren, Novit. Zool. 4, p. 415 (1897).

informis Warren, Novit. Zool. 4, p. 416 (1897). — Iquitos

nigrata Warren, Novit. Zool. 14, p. 195 ♂ (1907). — Peru: La Oroya

2

Neodeta Warren.

Warren, Proc. U. S. Nat. Mus. 30, p. 404 (1906).

fasciata Warren, Proc. U. S. Nat. Mus. 30, p. 405 ♀ (1906). — Franz. Guiana, St. Laurent, Maroni River

nana Warren, Proc. U. S. Nat. Mus. 30, p. 405 ♂ (1906). — Franz. Guiana, St. Jean, Maroni River

ochriplaga Warren, Proc. U. S. Nat. Mus. 30, p. 405 ♂ (1906). — Brasilien, Sao Paulo

1

Aphyodes Warren.

Warren, Novit. Zool. 14, p. 190 (1907).

pilosa Warren, Novit. Zool. 14, p. 191 ♂ (1907). — Peru

1

Capnophylla Warren.

Warren, Novit. Zool. 4, p. 410 (1897).

albiceps Warren, Proc. U. S. Nat. Mus. 30, p. 401 ♀ (1906). — Brasilien: Sao Paulo

semibrunnea Dognin, Ann. Soc. Ent. Belg. 52, p. 270 (1908). — Neu-Guinea

2

Lophopygia Warren.

Warren, Novit. Zool. 11, p. 495 (1904).

griseata Warren, Novit. Zool. 11, p. 495 ♂ (1904). — Peru: Santo Domingo

1

Lophotosoma Warren.

Warren, Novit. Zool. 11, p. 7 (1904).

ustanalis Warren, Novit. Zool. 11, p. 7 (1904). — Peru: Santo Domingo

1

Paurophlebia Dognin.

Dognin, Héteroc. nouv. 4, p. 28 (1911).

Paurophlebs Dognin, Héteroc. nouv. 3, p. 57 (1911) [non Hampson 1900].

obscura Dognin, Héteroc. nouv. 3, p. 58 (1911). — Kolumbien

1

Pterotosoma Warren.

Warren, Novit. Zool. 10, p. 345 (1903).

bilineata Warren, Novit. Zool. 10, p. 346 (1903). — Neu-Guinea

1

Metorthocheilus Hampson.

Hampson, Ill. Lep. Het. Brit. Mus. 9, p. 1838 (1893).

emarginata* Hampson, Ill. Lep. Het. Brit. Mus. 8, p. 113, t. 151, f. 14 (1891) *(Azata)*; id., Ill. Lep. Het. Brit. Mus. 9, p. 138 (1893). — Süd-Indien

1

Pseudhyria Hampson.

Hampson, Fn. Brit. India Moths 3, p. 120 (1894).

Pseudothyria Pagenstecher, Geogr. Verbr. Schmett. p. 434 (1909) [err.].

rubra Hampson, Ill. Lep. Het. Brit. Mus. 9, p. 150, t. 170, f. 3 (1893); id., Fn. Brit. India Moths 3, p. 120 (1894). — Indien

1

Psychostrophia Butler.

Butler, Ann. Mag. Nat. Hist. (4) 20, p. 401 (1877). — Seitz, Gross-schmett. Palaearkt. 2, p. 277 (1912).

melanargia Butler, Ann. Mag. Nat. Hist. (4) 20, p. 401 (1877). — Seitz, Großschmett. Palaearkt. 2, p. 278, t. 48, f. (1912). — Japan: Hiogo, Yokohama

var. *hemimetaena* Seitz, Großschmett. Palaearkt. 2, p. 278, t. 48h (1913).

var. *catenifera* Seitz, Großschmett. Palaearkt. 2, p. 278 (1912).

nymphidiaria Oberthür, Etud. d'Ent. 18, p. 34 (1893) *(Abraxas)*. — Seitz, Großschmett. Palaearkt. 2, p. 278, t. 48, f. (1912) *(Psychostrophia)*. — West-China: Sze-tschuan

picaria Leech, Ann. Mag. Nat. Hist. (6) 19, p. 189 (1897). — Seitz, Großschmett. Palaearkt. 2, p. 278, t. 48, f. (1912). — Z.-China: Chang-Yang J-tschang

3

79 Gattungen

573 Arten

Register.

Genera.

Species, Subspecies, Varietates.

Fam. Uraniidae.

Auctore **K. W. v. Dalla Torre.**

Westwood, Introd. Class. Ins. 2, p. 369 (1840); id., Trans. Zool. Soc. London 10, p. 507—542, t. 85—88 (1879). — Boisduval, Rev. Mag. Zool. (3) 2, p. 29 (1874). — Lederer, Wien. Ent. Monatsschr. 4, p. 121—128, 150—157, 182—187 (1860). — Newman, Entomol. 5, p. 40—41 (1870); id., Zoologist (2) 7, p. 2887 (1872). — Boisduval, Monogr. Agaristid. in: Rev. Zool. (3) 2, p. 26—110 (1874). — Mabille, Ann. Soc. Ent. France (5) 9, p. 318—319 (1879). — Bönninghausen, Verh. Ver. naturwiss. Unterhaltg. Hamburg 10, p. 40—46 (1899). — Strand, Deutsche Ent. Zeitschr. 1911, p. 635. — Sharp, Cambridge Natural History, Insects II, p. 368, 419 (1918). — W. F. Kirby, Syn. Cat. Lep. Het. 1, p. 14—20 (1892).

Uranides Guénée, Spec. génér. Lép. 9, p. 1 (1857).
Cydimonii Blanchard, Hist. Nat. Ins. 2, p. 348 (1840). — Chenu, Encycl. Hist. Nat. Papill. p. 229 (1851—53). — Walker, Cat. Lep. Het. Brit. Mus. 1, p. (1854).
Cydimonidae W. F. Kirby, Handb. Lep. 3, p. 41 (1890).
Uraniadae Hampson, Cat. Lep. Phal. 1, p. 18 (1898) (p. p.).

Subfam. **Uraniinae** nov. nom.

Cydimoniden Pagenstecher, Geogr. Verbr. Schmett. p. 434 (1909).

Urania Fabr.

Fabr. in Illiger, Mag. Ins. 6, p. 279 (1807). — Latreille, Consid. Fam. p. 356 (1810); id., Fam. Nat. p. 470 (1825). — Hübner, Verz. bek. Schmett. p. 289 (1816—27). — Boisduval, Ann. Soc. Ent. France 2, p. 248 —250 (1832). — Mac Leay, Proc. Zool. Soc. London 2, p. 10 (1834). — Walker, List Lep. Het. Brit. Mus. 1, p. 4 (1854). — E. Reuter, Acta Soc. Sc. Fenn. 22, p. 202 (1897).

Cydimon Dalman, Svenska Vet.-Akad. Handl. 45, p. 392, 407 (1824). — Blanchard, Hist. Nat. Ins. 2, p. 349 (1840). — Chenu, Encycl. Hist. Nat. Papill. p. 230 (1851—53). — Guénée, Spec. génér. Lép. 9, p. 6 (1857). — Boisduval, Rev. Mag. Zool. (3) 2, p. 35 (1874).
Dasycephalus Swainson [Zool. Ill. (2) 3, t. 131 (1833)] cf. Walker, List Lep. Het. Brit. Mus. 1, p. 4 (1854). — Duncan [Nat. Libr. 5, p. 205, t. 30 (1837)] cf. Walker, l. c., p. 4 (1854).
Leilus Swainson, Zool. Ill. (2) 3, t. 125 (1833).
Thaliura Duncan, Nat. Libr. 5, p. 195 (1837).
Uranidia Westwood, Trans. Zool. Soc. London 10, p. 521, t. 85, f. 13, 14 (1879). — Druce, Biol. Centr.-Amer. Lep. Het. 2, p. 3 (1891).

amphiclus (Boisd.) Guénée, Spec. génér. Lép. 9, p. 7 (1857) *(Cydimon leilus* var.). — Boisduval, Rev. Mag. Zool. (3) 2, p. 36 (1874) *(Cydimon).* — Westwood, Trans. Zool. Soc. London 10, p. 521 (1879) *(Uranidia).* — W. F. Kirby, Syn. Cat. Lep. Het. 1, p. 14 (1892). — Trinidad

Boisduvali Guérin, Icon. Règne Anim. Ins. p. 490, t. 82, f. 1 (1829—44) *(Urania).* — Gray, Anim. Kingdom 15, t. 99, f. 1 (1840) *(Cydimon).* — Chenu, Encycl. Hist. Nat. Papill. p. 230, t. 395 (1851—53) *(Cydimon).* — Walker, List Lep. Het. Brit. Mus. 1, p. 5 (1854). — Lucas in Sagra, Hist. Nat. Cuba Artic. p. 154, t. 17, f. 1 (1857) *(Cydimon).* — Guénée, Spec. génér. Lep. 9, p. 8 (1857). — Boisduval, Rev. Mag. Zool. (3) 2, p. 37 (1874). — Westwood, Trans. Zool. Soc. London 10, p. 522 (1879) *(Uranidia).* — Bönninghausen, Verh. Hamburg 10, p. 44 (1899) *(Cydimon).* — Kuba

Fernandinae MacLeay, Trans. Zool. Soc. London 1, p. 180, t. 26 (1834).

Biologie: Gosse, Entomol. 14, p. 241—245 (1882).

brasiliensis Swainson, Zool. Ill. (2) 3, t. 126 (1833) *(Leilus).* — Guénée, Spec. génér. Lép. 9, p. 7, t. 1, f. 1 (1857) *(Cydimon).* — Boisduval, Rev. Mag. Zool. (3) 2, p. 36 (1874). — Westwood, Trans. Zool. Soc. London 10, p. 521 (1879) *(Uranidia).* — W. F. Kirby, Syn. Cat. Lep. Het. 1, p. 14 (1892). — Bönninghausen, Verh. Hamburg 10, p. 43 (1899) *(Cydimon).* — Brasilien

cacica Guénée, Spec. génér. Lép. 9, p. 8 ♀ (1857) *(Cydimon);* id., Ann. Soc. Ent. France (5) 7, p. 305 (1877). — Boisduval, Rev. Mag. Zool. (3) 2, p. 36 (1874) *(Cydimon).* — Westwood, Trans. Zool. Soc. London 10, p. 521 (1879) *(Uranidia).* — Druce, Biol. Centr.-Amer. Lep. Het. 2, p. 4 (1891) *(Uranidia).* — W. F. Kirby, Syn. Cat. Lep. Het. 1, p. 14 (1892). — Mexiko

fulgens (Boisd.) Walker, List Lep. Het. Brit. Mus. 1, p. 5 (1854). — Guénée, Spec. génér. Lép. 9, p. 9 (1857) *(Cydimon).* — Boisduval, Consid. Lép. Guatémala, p. 77 (1870); id., Rev. Mag. Zool. (3) 2, p. 41 (1874) *(Cydimon).* — Westwood, Trans. Zool. Soc. London 10, p. 522 (1879) *(Uranidia).* — Druce, Biol. Centr.-Amer. Lep. Het. 2, p. 3, t. 41, f. 16 (1891) *(Uranidia).* — Bönninghausen, Verh. Hamburg 10, p. 44 (1899) *(Cydimon).* — Mexiko, bis Panama: Guatemala, Honduras, Nikaragua, Costa Rica, Kolumbien

Biologie: Nietó, Ann. Soc. Ent. France (4) 8, Bull. p. LXXXII—LXXXIII (1868). — Nature 8, p. 536 (1873). — Druce, Biol. Centr.-Amer. Lep. Het. 2, p. 3 (1891).

leilus L., Syst. Nat. ed. 10, p. 462 (1758); ed., l. c. ed. 12, p. 750 (1767); id., Mus. Lud. Ulr. p. 206 (1764) *(Papilio).* — Clerck, Icon. Ins. t. 27, f. 1 (1759). — d'Aubenton, Misc. 1 p., t. 71, f. 1 (1765). — Seba, Mus. 4, t. 36, f. 1—4 — Cayenne, Surinam, Südamerika

(1765). — Knorr, Delic. tab. C. f. 1 (1767). — Scopoli, Ann. Hist. Nat. 5, p. 110—111 (1772). — Cramer, Papil. Exot. 1, t. 8, fig. C, D (1776). — Gronov, Zoophyl. p. 724 (1781). — Fabr., Spec. Ins. 2. p. 12 (1781); id., Mant. Ins. 2, p. 7 (1787); id., Ent. Syst. 3 (1) p. 21 (1793). — Gmelin in Linné, Syst. Nat. ed. 13, 1 (5) p. 2237 (1788). — Herbst, Natursyst. Schmett. 3, t. 50, f. 2, 3 (1789). — Klemens, Beitr. Ins. 1, t. 2, f. 1 (1792). — Esper, Ausl. Schmett. t. 53, f. 2 (1801). — Lamarck, Hist. Nat. Anim. 4, p. 9 (1817). — Godard, Encycl. métbod. 9, p. 709 (1819). — Duncan, Nat. Libr. 5, p. 205, t. 29, f. 3 (1837). — Walker, List Lep. Het. Brit. Mus. 1, p. 4 (1854). — Guénée, Spec. génér. Lép. 9, p. 7 (1857) *(Cydimon)*. — Boisduval, Rev. Mag. Zool. (3) 2, p. 35 (1874). — Westwood, Trans. Zool. Soc. London 10, p. 521 (1879) *(Uranidia)*. — Bönningbausen, Verh. Hamburg 10, p. 43 (1899) *(Cydimon)*.

Lars heroica leilaria Hübner, Samml. exot. Schmett. 1, f. 1, 2 (1824).

leilaria Hübner, Verz. bek. Schmett. p. 289 (1816—27).

surinamensis Swainson, Zool. Ill. (2) 3, t. 125 *(Leilus)*.

Biologie: Nature 4, p. 12—13 (1871). — Entomol. 6, p. 332 (1872). — Kappler b. Hofmann, Stett. Ent. Zeitg. 42, p. 487—488 (1881). — Guppy, Trans. Ent. Soc. London 1907, p. 405—410, t. 26, 27. — Williams, Trans. Ent. Soc. London 1920, p. 159—163 (Wauderung).

Poeyi Herrich-Schäffer, Correspbl. Zool.-Min. Ver. Regensburg 20, p. 135 (1866) *(Cydimon)*. — Felder, Reise d. Novara Lep., t. 121, f. 6, 7 (1874) *(Cydimon)*. — Westwood, Trans. Zool. Soc. London 10, p. 522 (1879) *(Uranidia)*. — W. F. Kirby, Syn. Cat. Lep. Het. 1 p. 14 (1892). — Kuba

sloanus Cramer, Papil. Exot. p. 134, t. 85, fig. E, F (1779) *(Papilio)*. — Olivier, Encycl. méthod. Papil. t. 8, f. 5 (ca. 1790) *(Papilio)*. — Godard, Encycl. méthod. 9, p. 709 (1819). — MacLeay, Trans. Zool. Soc. London 1, p. 180 (1834). — Duncan, Nat. Libr. 5, p. 202, t. 29, f. 1 (1837). — Walker, List Lep. Het. Brit. Mus. 1, p. 6 (1854). — Guénée, Spec. génér. Lép. 9, p. 9 (1857) *(Cydimon)*. — Boisduval, Rev. Mag. Zool. (3) 2, p. 41 (1874) *(Cydimon)*. — Westwood, Trans. Zool. Soc. London 10, p. 52, t. 85, f. 13, 14 (1879) *(Uranidia)*. — Bönninghausen, Verh. Hamburg 10, p. 44 (1899) *(Cydimon)*. — Jamaika

leilus var. β Gmelin in Linné, Syst. Nat. ed. 13, 1 (5), p. 2237 (1788) *(Papilio)*. — Fabr., Ent. Syst. 3 (1) p. 22 (1793).

occidentalis Swainson, Zool. Ill. (2) 3, t. 129 (1833) *(Leilus)*.

sloanaria Hübner, Verz. bek. Schmett. p. 289 (1816—27) *(Urania)*.

sloane Guénée, Spec. génér. Lép. 9, p. 9 (1857) *(Cydimon)*.
sloaneus Herbst, Natursyst. Schmett. 3, t. 51, f. 3, 4 (1788) *(Papilio)*.
Biologie: Goße, Entomol. 13, p. 133—135 (1880); id. l. c. 14, p. 241—245 (1881). — Townsend, Journ. Ins. Jamaica 1, p. 479 (1893).
8

Chrysiridia Hübner.

Hübner, Verz. bek. Schmett. p. 289 (1816—27). — Westwood, Trans. Zool. Soc. London 10, p. 522, t. 85, f. 15—16 (1879).
Cydimon Dalman, Svenska Vet.-Akad. Handl. 45, p. 407 (1824).
Rhipheus Swainson, Zool. Ill. (2) 3, t. 131 (1833).
Thaliura Duncan, Nat. Libr. 5, p. 195 (1837).
Urania Latreille, Consid. génér. p. 356 (1810). — Walker, List Lep. Het. Brit. Mus. 1, p. 6 (1854). — Guénée, Spec. génér. Lép. 9, p. 10 (1857). — Boisduval, Rev. Mag. Zool. (3) 2, p. 33 (1874).

— croesus Gerstaecker, Arch. f. Nat. 37 (1) p. 361 (1871) *(Thaliura)*; id., in Von der Decken, Reisen 3 (2) p. 383, t. 16, f. 4 (1873). — Westwood, Trans. Zool. Soc. London 10, p. 523 (1879). — W. F. Kirby, Syn. Cat. Lep. Het. 1, p. 15 (1892). — Bönninghausen, Verh. Hamburg 10, p. 41 (1899). — Zanzibar
Biologie: Reuss, Ent. Rundschau 38, p. 2—3 (1921).

— madagascariensis Lesson, Ill. Zool. t. 33 (1831) *(Urania)*. W. F. Kirby, Syn. Cat. Lep. Het. 1, p. 15 (1892). — Sharp, Cambridge Natural History, Insects 2, p. 419, f. 206 (1918). — Madagaskar
rhipheus Cramer (Stoll non Drury), Papil. Exot. 4, p. 193, t. 385, fig. A, B (1782) *(Papilio)*. — Esper, Ausländ. Schmett. t. 21, f. 1, 2 (1785). — Gmelin in Linné, Syst. Nat. ed. 13, 1 (5), p. 2235 (1788). — Fabr., Ent. Syst. 3 (1), p. 21 (1793). — Olivier, Encycl. méthod. Papil. t. 8, f. 4 (ca. 1801). — Lamarck, Hist. Nat. Anim. 4, p. 192 (1817) *(Urania)*. — Godard, Encycl. méthod. 9, p. 709 (1819). — Boisduval, Ann. Soc. Ent. France 2, p. 248 (1832); id., Faune Ent. Madagascar, p. 112, t. 14, f. 1, 2 (1833); id., Rev. Mag. Zool. (3) 2, p. 33 (1874). — Crochard in Cuvier, Règne Anim. Atl. Ins. t. 144, f. 3 (ca. 1835). — Duncan, Nat. Libr. 5, p. 197, t. 28 (1837) *(Thaliura)*. — Blanchard, Hist. Nat. Ins. 2, p. 523, t. 22, f. 1, 2. — Walker, List Lep. Het. Brit. Mus. 1, p. 6 (1854) *(Urania)*. — Guénée, Spec. génér. Lép. 9, p. 12 (1857); id., Ann. Soc. Ent. France (5) 7, p. 305—308 (1877). — H. Lucas, Ann. Soc. Ent. France (4) 9, p. 426 (1869); id., l. c. (5) 6 Bull. p. CXXVI—CXXVII (1876). — Kraatz, Ent. Monatsbl. 1, p. 108 (1876). — Trimen,

Proc. Linn. Soc. London 11, p. 284 (1871). — Westwood, Trans. Zool. Soc. London 10, p. 522, t. 86, f. 15, 16 (1879) *(Chrysidaria).* — Mabille, Compt. Rend. Soc. Ent. Belg. 23, p. CIV (1880) *(Urania).* — W. F. Kirby, Gyn. Cat. Lep. Het. 1, p. 15 (1892). — Bönninghausen, Verh. Hamburg 10, p. 41 (1899) *(Urania).*

Crameri Maaßen, Stett. Ent. Zeit. 40, p. 115 (1879) *(Urania).*

orientalis Swainson, Zool. Ill. (2) 3, t. 130 (1833) *(Leilus).*

rhiphearia Hübner, Verz. bek. Schmett. p. 289 (1816—27).

var. *melania* Oberthür, Bull. Soc. Ent. France 1898, p. 134. — Madagaskar

var. *laetevirens* Oberthür, l. c., p. 135. — „

Biologie: Szanzin & Boisduval, Ann. Soc. Ent. France (5) 3, Bull. p. CCXX (1873). — Boisduval, Rev. Mag. Zool. (3) 2, p. 29—31 (1874). — Camboue, Rev. Sc. Nat. appl. 36, p. 439 (1889); id., Congrès Zool. 1892 (2) p. 180—184; id., Etud. Lép. comp. 12, p. 432—436 (1916). — Mabille, Ann. Soc. Ent. France (6) 9, Bull., p. XLVI (1889).

prometheus Drapiez, Ann. Sc. Phys. 2, p. 356, t. 30, f. 1, 2 (1819) *(Urania);* id., Dict. class. Hist. Nat. 16, p. 468, 17, t. 73 (1830). — W. F. Kirby, Syn. Cat. Lep. Het. 1, p. 15 (1892). — St. Helena?

rhipheus Drury, Ill. Exot. Ent. 2, p. 40, t. 23, f. 1, 2 (1773) *(Papilio);* ed., Westwood, p. 42, t. 23, f. 1, 2 (ca. 1840). — W. F. Kirby, Syn. Cat. Lep. Het. 1, p. 15 (1892). — China?, Coromandel?, Bengal?

dasycephalus Swainson, Zool. Ill. (2) 3, t. 131 (1833) *(Rhipheus).* — Duncan, Nat. Libr. 5, p. 205, t. 30 (1837).

Druryi Boisduval, Rev. Mag. Zool. (3) 2, p. 33 (1874) *(Urania).* — Grote, Canad. Entom. 6, p. 180 (1874).

4

Alcidis Hübner.

Hübner, Verz. bek. Schmett. p. 289 (1816—27). — Guénée, Spec. génér. Lép. 9, p. 13 (1857).

Alcidia Westwood, Trans. Zool. Loc. London 10, p. 524, t. 85, f. 17, 18 (1879).

Nyctalemon Dalman, Svenska Vet.-Akad. Handl. 45, p. 407 (1824). — Walker, List Lep. Het. Brit. Mus. 1, p. 7 (1854). — Boisduval, Rev. Mag. Zool. (3) 2, p. 42 (1874).

Orontes Swainson. Ill. Zool. (2) 3, p. 125 (1833).

agathyrsus Kirsch, Mittheil. Mus. Dresden 2, p. 128, t. 7, f. 8 (1877) *(Nyctalemon).* — Preiß, Abbild. Nachtschmett. p. 6, t. 8, f. 2 (1888). — W. F. Kirby, Syn. Cat. Lep. Het. 1, p. 16 (1892). — Bönninghausen, Verh. Hamburg 10, p. 43 (1899). — Strand, Archiv f. Naturg. 78, A. 11, p. 68 (1912); id., Mitteil. Zool. Mus. Berlin 5, p. 473 (1911). — Neu-Guinae, Deutsch-Neu-Guinea

arnus Felder & Rogenhofer, Reise d. Novara Lep. t. 121, f. 1 (1874). — Westwood, Trans. Zool. Soc. London 10, p. 524 (1879) *(Alcidia)*. — Haas, Correnspbl. Iris 1, p. 164 ♂ (1887). *aruus* W. F. Kirby, Syn. Cat. Lep. Het. 1, p. 16 (1892) [err.].	Aru
aurora Salvin & Godman, Proc. Zool. Soc. London 1877, p. 150, t. 23, f. 5, 6 *(Alcides)*. — Westwood, Trans. Zool. Soc. London 10, p. 525 (1879) *(Alcidia)*. — W. F. Kirby, Syn. Cat. Lep. Het. 1, p. 16 (1892). — Strand, Lepidopt. Niepeltiana p. 21 (1914). — ?Bönninghausen, Verh. Hamburg 10, p. 43.	Duke of York Island
boops Westwood, Trans. Zool. Soc. London 10, p. 525, t. 87, f. 1 (1879) *(Alcidia)*. — W. F. Kirby, Syn. Cat. Lep. Het. 1, p. 16 (1892). — Strand, Archiv f. Naturg. 78, A. 11, p. 68 (1912).	Aru, Neu-Guinea
cydnus Felder, Wien. Ent. Monatsschr. 3, p. 179, t. 3, f. 1 (1859) *(Nyctalemon)*. — Westwood, Trans. Zool. Soc. London 10, p. 524 (1879) *(Alcidia)*. — W. F. Kirby, Syn. Cat. Lep. Het. 1, p. 16.	Amboina
latona Druce, Ann. Mag. Nat. Hist. (5) 2, p. 241 (1886); id., Proc. Zool. Soc. London 1888, p. 577, t. 29, f. 5 (1889).	Salomons-Inseln
liris Felder, Wien. Ent. Monatsschr. 4, p. 250 (1860) *(Nyctalemon)*. — Felder & Rogenhofer, Reise d. Novara Lep. t. 121, f. 2 (1874). — Westwood, Trans. Zool. Soc. London 10, p. 524 (1879) *(Alcidia)*. — W. F. Kirby, Syn. Cat. Lep. Het. 1, p. 16 (1892). — Bönninghausen, Verh. Hamburg 10, p. 43. subspec. *sordidior* Rothschild, Rep. Brit. Ornith. Expéd. 2, No. 15, p. 105 (1916).	Batchian
metaurus Hopffer, Neue Schmett. 2, t. 2, f. 3, 4 (1856) *(Nyctalemon)*. — Boisduval, Rev. Mag. Zool. (3) 2, p. 43 (1874). — Westwood, Trans. Zool. Soc. London 10, p. 525, t. 87, f. 2 (1879) *(Alcidia)*. *orontes* Guénée (non Clerck), Spec. génér. Lep. 9, p. 14 (1857) *(Alcides)*.	Australien
orontes Clerck, Icon. Ins. t. 26, f. 1 (1759) *(Papilio)*. —L., Amoen. Acad. 6, p. 402 (1764); id. Syst. Nat. ed. 12, p. 750 (1767). — Seba, Mus. 4, t. 16, f. 1, 2; t. 47, f. 7, 8 (1765). — Cramer, Papil. Exot. 1, t. 83, fig. A, B (1776). — Fabr. Spec. Ins. 2, p. 20 (1781); id., Mant. Ins. 2, p. 10 (1787); id., Ent. Syst. 3 (1) p. 69 (1793). — Esper, Ausländ. Schmett. t. 30, f. 1, 2 (1785). — Herbst, Natursyst. Schmett. 3, f. 47, f. 1, 2 (1788). — Lamarck, Hist. Nat. Anim. 4, p. 19 (1817) *(Urania)*. — Godard, Encycl. méthod. 9, p. 710 (1819). — Boisduval, Voy. Astrolabe Lep. p. 253 (1832—35); id., Rev. Mag. Zool. (3) 2, p. 42 (1874). — Feisthamel, Voy. Favorite p. 29 (1839). — Blanchard, Hist. Nat. Ins. 2, p. 470 (1840). — Chenu, Encycl. Hist. Nat. Papil. p. 231, f. 396 (1851—53) *(Nyctalemon)*. — ?Walker, List Lep. Het. Brit.	Amboina, Ceram, Gilolo, Neu-Guinea, Cap Graston Neu-Holland

Mus. 1, p. 7 (1854) *(Nyctalemon)*. — Hopffer, Neue Schmett. 2, t. 2, f. 1, 2 (1856) *(Nyctalemon)*. — ?Guénée, Spec. génér. Lép. 9, p. 14 (1857). — Pagenstecher, Jahrb. nass. Ver. Naturk. 37, p. 249 (1884); l. c. 41, p. 164 (1888). — Westwood, Trans. Zool. Soc. London 10, p. 524, t. 85, f. 17, 18 (1879) *(Alcidia)*. — W. F. Kirby, Syn. Cat. Lep. Het. 1, p. 16 (1892). — Bönninghausen, Verh. Hamburg 10, p. 43 (1899).

argyrios Gmelin in Linné, Syst. Nat. ed. 13, 1 (5) p. 2248 (1788) *Papilio)*.

orontiaria Hübner, Verz. bek. Schmett. p. 289 (1816—27) *(Alcidis)*; id., Samml. exot. Schmett. 2, f. 3, 4 (1819—27).

Ribbei Pagenstecher, Fauna Exotica II, Nr. 11, p. 44 ♂. (1912). — Strand, Lepid. Niepeltiana p. 21, t. 11, f. 3 ♂, f. 4 ♀ (1914). — Salomonen, Bougainville

zodiaca Butler, Ent. Mouthly Mag. 5, p. 273 (1869) *Nyctalemon)*. — Westwood, Trans. Zool. Soc. Loudon 10, p. 524 (1879) *(Alcidia)*. — W. F. Kirhy, Syn. Cat. Lep. Het. 1, p. 16 (1892). — Nord-australien

metaurus Westwood, Trans. Zool. Soc. London 10, p. 525, t. 87, f. 2 (1879) *(Alcidia)*.

orontes Walker (non Clerck), Cat. Lep. Het. Brit. Mus. 1, p. 7 (1854) *(Nyctalemon)*.

11

Subfam. Nyctalemoninae nov. nom.

Nyctalemoninen Pagenstecher, Geogr. Verbr. Schmett. p. 434 (1909).

Nyctalemon Dalman.

Dalman, Svenska Vet.-Akad. Handl. 45, p. 407 (1824). — Blanchard, Hist. Nat. Ins. 2, p. 349 (1840). — Chenu, Enc. Hist. Nat. Papill. p. 230 (1851—53). — Walker, List Lep. Het. Brit. Mus. 1, p. 7 (1854). — Guénée, Spec. génér. Lép. 9, p. 14 (1857). — Boisduval, Rev. Mag. Zool. (3) 2, p. 41 (1874). — Pagenstecher in Semon, Reise 5, p. 210 (1895).

Lyssa (non Leach) Hübner, Verz. bek. Schmett. p. 289 (1816—27).

Lyssidia Westwood, Trans. Zool. Soc. London 10, p. 525, t. 85, f. 19, 20 (1879).

Urania Godard, Encycl. méthod. p. 407 (1819).

achillaria Hübner, Verz. bek. Schmett. p. 289 (1816—27) *(Lyssa)*. — Guénée, Spec. génér. Lép. 9, p. 15 (1857). — W. F. Kirby, Gyn. Cat. Lep. Het. 1, p. 17 (1892). — Amboina, Woodlark, China, Indien, Singapore

patrocles Cramer (non L.), Papill. Exot. 3, p. 9, t. 198, f. A (1782) *(Papilio)*.

Crameri Boisduval, Rev. Mag. Zool. (3) 2, p. 441 (1874). — Indien

najabula Moore, Proc. Zool. Soc. London 1877, p. 629. — Westwood, Trans. Zool. Soc. London 10, p. 526 (1879) *(Lyssidia)*. — Butler, Proc. Zool. Soc. London 1883, p. 169.

curvata Skinner, Proc. Acad. Nat. Sci. Philadelphia 1903, p. 298, t. 13.	Neue Hebriden
hector (White) Walker, List Lep. Het. Brit. Mus. 7, p. 1771 (1856). — Westwood, Trans. Zool. Soc. London 10, p. 526 (1879) *(Lyssidia).*	Borneo, Philippinen
Macleayi Montrouzier, Ann. Soc. Phys. Lyon (2) 8, p. 410 (1857) *(Urania).* — W. F. Kirby, Syn. Cat. Lep. Het. 1, p. 17 (1892).	Papua, Neu-Guinea
Goldiei Druce, Proc. Zool. Soc. London 1882, p. 781 *(Lyssidia).* — Strand, Archiv f. Naturg. 78, A. 11, p. 68 (1912).	
menoetius Hopffer, Neue Schmett. 2, p. 2, t. 3, f. 2 (1856). — Boisduval, Rev. Mag. Zool. (3) 2, p. 45 (1874). — Westwood, Trans. Zool. Soc. London 10, p. 526, (1879) *(Lyssidia).* — Semper, Schmett. Philipp. 2, p. 598, t. 63, f. 2 (1901) *(Lyssidia).*	Manilla, China, Indien, Singapore
longicaudus Schaufuss, Nunquam otiosus 1, p. 13 (1870).	
mutata Butler, Ann. Mag. Nat. Hist. (5) 20, p. 241 (1887) *(Lyssidia).* — W. F. Kirby, Syn. Cat. Lep. Het. 1, p. 17 (1892).	Salomon-Insel: Alu
patroclus L. Syst. Nat. ed. 10, p. 462 (1758); ed. 12, 2, p. 749 (1767); id., Mus. Lud. Ulr. p. 204 (1764) *(Papilio).* — Clerck, Icon. Ins. t. 37, f. 1 (1759). — d'Aubenton, Miscell. t. 17, f. 1, 2 (1765). — Seba, Mus. 4, t. 47, f. 13, 16 (1765). — Fabr., Spec. Ins. 2, p. 13 (1781); id., Mant. Ins. 2, p. 7 (1787) *(Papilio);* id., Ent. Syst. 3 (2), p. 8 (1793) *(Noctua).* — Cramer, Papill. Exot. 3, p. 9, t. 109, fig. A, B (1782) *(Papilio).* — Gmelin in L., Syst. Nat. 1 (5), p. 2236 (1788). — Olivier, Encycl. méthod. Papill. t. 8, f. 1 (ca. 1790). — Herbst, Natursyst. Schmett. 4, t. 54, f. 2, 3; t. 55, f. 1 (1790). — Lamarck, Hist. Nat. Anim. 4, p. 194 (1817) *(Urania).* — Godard, Encycl. méthod. 9, p. 710 (1819). — Boisduval, Voy. Astrolabe Lep. p. 254 (1832); id., Rev. Mag. Zool. (3) 2, p. 44 (1874). — Westwood ed. Drury, Ill. Exot. Ent. 1, t. 8, f. 1, p. 13, t. 7, f. 1 (ca. 1840). — ?Walker, List Lep. Het. Brit. Mus. 1, p. 8 (1851). — Guénée, Spec. génér. Lép. 9, p. 15 (1857). — Moore, Cat. Lep. Mus. East India Comp. 1, p. 256 (1857). — Westwood, Trans. Zool. Soc. London 10, p. 526, t. 85, f. 19, 20 (1879) *(Lyssidia).* — H. Lucas, Ann. Soc. Ent. France (5) 10, Bull. p. LIII (1880). — Swinhoe, Cat. Moths India 4, p. 463 (1888). — W. F. Kirby, Syn. Cat. Rop. Het. 1, p. 17 (1892). — Bönninghausen, Verh. Hamburg 10, p. 42 (1899). — Pagenstecher, Jahrb. nass. Ver. Naturk. 37, p. 249 (1884); id., l. c., 41, p. 164 (1888).	China, Indien, Assam, Amboina, Java, Duke of York Isle Malakka
docile Butler, Trans. Linn. Soc. London (2) 1, p. 562 (1879). — Druce, Proc. Zool. Soc. London 1878, p. 642. — Westwood, Trans. Zool. Soc. London 10, p. 527 (1879) *(Lyssidia).*	
patroclaria Hübner, Verz. bek. Schmett. p. 289 (1816—27) *(Lyssa).*	

Biologie: H. Lucas, Ann. Soc. Ent. France (5) 10, Bull. p. LIII—LIV (1880). — Kühn, Correspbl. Iris 1, p. 183, t. 6, f. 9 (1887).

zampa Butler, Ent. Monthly Mag. 5, p. 273 (1869). — Preiß. Abbild. Nachtschmett. p. 6, t. 8, f. 1 (1888). — Semper, Schmett. Philipp. 2, p. 597, t. 63 (1901). — Assam: Silhet

patroclus Drury (non L.), Ill. Exot. Ent. 1, p. 14, 16, t. 7, f. 1; t. 8, f. 1 (1773) *(Papilio)*. — Walker, List Lep. Het. Brit. Mus. 1, p. 8 (1854).

9

Subfam. **Coronidiinae** nov. nom.

Coroneiden [false Corveiden] Pagenstecher, Geogr. Verbr. Schmett. p. 434 (1909).

Sematuridae Hampson, Novit. Zool. 25, p. 367 (1918) [Fam.].

Sematura Dalman.

Dalman, Svenska Vet.-Akad. Handl. 45, p. 407 (1824). — Guénée, Spec. Génér. Lép. 9, p. 17 (1857). — Moeschler, Abh. Senckenberg. Naturf. Ges. 14, p. 67 (1887).

Mania Hübner, Verz. bek. Schmett. p. 290 (1816—27) (non Treitschke 1825).

Manidia Westwood, Trans. Zool. Soc. London 10, p. 527, t. 85, f. 10—12 (1879). — Druce, Biol. Centr.-Amer. Lep. Het. 2, p. 4 (1891).

aegistus Fabr., Spec. Ins. 2, p. 20 (1781); id., Mant. Ins. 2, p. 10 (1787); id. Ent. Syst. 3 (1), p. 69 (1793) *(Papilio)*. — Walker, List Lep. Het. Brit. Mus. p. 9, (1854) *(Nyctalemon)*. — Westwood, Trans. Zool. Soc. London 10, p. 528 (1879) *(Manidia)*. — W. F. Kirby, Syn. Cat. Lep. Het. 1, p. 18 (1892) *(Mania)*. — Westindien, Jamaika

excavatus Walker, List Lep. Het. Brit. Mus. 1, p. 9 (1854) *(Nyctalemon)*. — Butler, Ill. Lep. Het. Brit. Mus. 1, p. 58, t. 1, f. 1 (1877). — Domingo, Haiti, Jamaika

lunigeraria Hübner, Verz. bek. Schmett. p. 290 (1816—27) *(Mania)*.

lunus Cramer (non L.), Papil. Exot. 3, p. 13, t. 200, fig. B, C (1783) *(Papilio)*.

phoebe Guénée, Spec. génér. Lép. 9, p. 19 (1857); id., Ann. Soc. Ent. France (5) 4, p. 118 (1874). — Möschler, Abh. Senckenberg. Naturf. Ges. 14, p. 65 (1886).

diana Guénée, Spec. génér. Lép. 9, p. 18, t. 1, f. 4 (1857). — Westwood, Trans. Zool. Soc. London 10, p. 527 (1879) *(Manidia)*. — W. F. Kirby, Syn. Cat. Lep. Het. 1, p. 18 (1892) *(Mania)*. — Bönninghausen, Verh. Hamburg 10, p. 44 (1899). — Rio de Janeiro bis Rio grande do Sul

empedocles Cramer, Papil. Exot. 3, p. 11 ♀ t. 199, fig. A, B (1782) *(Papilio)*. — Fabr., Mant. Ins. 2, p. 10 (1787) *(Urania)*. — Gmelin in Linné, Syst. Nat. 1 (5) p. 2240 (1788). — Olivier, Encycl. méthod. Papil. t. 8, f. 2 (ca. 1790) — Zentral- und Süd-amerika

(*Papilio*). — Herbst, Natursyst. Schmett. 4, t. 53, f. 4, 5 (1790). — Godard, Encycl. méthod. 9, p. 711 (1819) (*Urania*). — Guénée, Spec. génér. Lep. 9, p. 19 (1857). — W. F. Kirby, Syn. Cat. Lep. Het. 1, p. 18 (1892) (*Mania*).

empedoclaria Hübner, Verz. bek. Schmett. p. 290 (1816—27) (*Mania*).

Lars heroica empedoclaria Hübner, Samml. Exot. Schmett. 1, t. 202, f. 3, 4 (1805).

lunus L., Syst. nat. ed. 10, p. 508 ♂ (1758), ed. 12, 2, p. 810 (1767) (*Phalaena*); id., Mus. Lud. Ulr. p. 311 (1764). — Clerck, Icon. Ins. t. 52, f. 3, 4 ♂ (1764) (*Phalaena — Attacus*). — Cramer, Papil. Exot. 3, p. 13, t. 200, fig. A ♂ [excl. ♀] (1783) (*Papilio*). — Olivier, Encycl. méthod. Papil. t. 8, f. 3 (ca. 1790) (*Papilio*). — Herbst, Natursyst. Schmett. 4, t. 53, f. 4—5 (1790) (*Papilio*). — Godard, Encycl. méthod. 9, p. 711 (1819) (*Urania*). — Walker, List Lep. Het. Brit. Mus. 1, p. 8 (1851) (*Nyctalemon*). — Guénée, Spec. génér. Lép. 9, p. 17 (1857); id., Ann. Soc. Ent. France (5) 4, p. 117—118 (1874). — Boisduval, Consid. Lép. Guatemala p. 76 (1870). — Westwood, Trans. Zool. Soc. London 10, p. 527, t. 85, f. 10—12 (1879) (*Manidia*). — Möschler, Abh. Senckenberg. Naturf. Ges. 14, p. 67, (1887). — W. F. Kirby, Proc. Roy. Dublin Soc. (2) 2, p. 340 (1880); id., Syn. Cat. Lep. Het. 1, p. 18 (1892) (*Mania*). — Druce, Biol. Centr.-Amer. Lep. Het. 2, p. 4 (1891) (*Manidia*). — Bönninghausen, Verh. Hamburg 10, p. 44 (1899). — Zentral- u. Südamerika Mexiko, Guatemala, Honduras, Nikaragua, Costa Rica, Panama, Kolumbien, Venezuela, Guiana, Amazonas, Brasilien, Trinidad

actaeon Felder & Rogenhofer, Reise d. Novara Lep. t. 121, f. 5 ♂ (1874).

caudilunaria Hübner, Verz. bek. Schmett. p. 290 ♂ (1816) (*Mania*).

selene Guénée, Spec. génér. Lép. 9, p. 18 ♂ (1857); id., Ann. Soc. Ent. France (5) 4, p. 117—118 (1874). — Westwood, Trans. Zool. Soc. London 10, p. 527 (1879) (*Manidia*). — W. F. Kirby, Proc. Roy. Dublin Soc. (2) 2, p. 340 (1880); id., Syn. Cat. Lep. Het. 1, p. 18 (1892) (*Mania*). — Para

5

Coronidia Westwood.

Westwood, Trans. Zool. Soc. London 10, p. 528, t. 85, f. 1—9 (1879). — Druce, Biol. Centr.-Amer. Lep. Het. 2, p. 5 (1891). — W. F. Kirby, Syn. Cat. Lep. Het. 1, p. 18 (1892). — Strand, Deutsche Ent. Zeitschr. 1911, p. 635, 636. — Hampson, Novit. Zool. 75, p. 367, 368 (1918).

Coronis Latreille, Fam. Nat. p. 470 (1825) („Coronidie"); id., in Cuvier, Règne Anim. 5, p. 389 (1829) [non Hübner 1816—27]. — Blanchard, Hist. Nat. Ins. 2, p. 350 (1840); id., in Cuvier, Règne Amur. Ins., p.234, t. 142, f. 2 (1849). — Chenu, Encycl. Hist. Nat. Papil., p. 234 (1851—53). — Walker, List Lep. Het. Brit. Mus. 1, p. 37 (1854). — Guénée, Spec. génér. Lep. 9, p. 20 (1857). — Griffith, Proc. Bristol Soc. Nat. 8, p. 65 (1896). — Hampson, Novit. Zool. 25, p. 367, 368 (1918).

Conoris Berthold, Nat. Fam. p. 476 (1827).

Larunda Hübner, Verz. bek. Schmett. p. 289 (1816—27) [non Latreille 1815].
Biologie: Sharp, Cambridge Nat. Hist. Ins. 2, p. 419 (1918).

difficilis Strand, Deutsche Ent. Zeitschr. 1911, p. 636 ♂♀; id. Ent. Zeitschr. 30, p. 1. — Hampson, Novit. Zool. 25, p. 369 (*Coronidia* subg. *Coronidia*). — Peru

var. *ecuadorensis* Strand, Deutsche Ent. Zeitschr. 1911, p. 638 ♂. — Ecuador

erecthea Westwood, Trans. Zool. Soc. London 10, p. 530, t. 87, f. 4 (1879). — W. F. Kirby, Syn. Cat. Lep. Het. 1, p. 19 (1892). — Strand, Deutsche Ent. Zeitschr. 1911, p. 636. — Hampson, Novit. Zool. 25, p. 369 (1918) (*Coronidia* subg. *Coronidia*). — Mexiko, Brasilien

hyphasis Hopffer, Neue etc. Schmett. 2, t. 3, f. 2—3 (1856) (*Coronis*). — Westwood, Trans. Zool. Soc. London 10, p. 532 (1879). — Druce, Biol. Centr.-Amer. Lep. Het. 2, p. 5 (1891). — Strand, Deutsche Ent. Zeitschr. 1911, p. 636 ♂♀. — Hampson, Novit. Zool. 25, p. 368 (1918) (*Coronidia* subg. *Coronidia*). — Mexiko, Costa Rica, Panama, Ecuador

orithea Stoll in Cramer, Papil. Exot. 3, p. 121 ♂, t. 262, fig. C, D (*Phalaena*). — Hübner, Verz. bek. Schmett. p. 289 (1816—27 (*Larunda*). — Walker, List Lep. Het. Brit. Mus. 1, p. 37 (1854) (*Coronis*). — Guénée, Spec. génér. Lép. 9, p. 21 (1857) (*Coronis*). — Westwood, Trans. Zool. Soc. London 10, p. 528, t. 87, f. 3 (1879). — Bönninghausen, Verh. Hamburg 10, p. 45 (1899) (*Coronis*). — Strand, Deutsche Ent. Zeitschr. 1911, p. 635, 636; id., Ent. Zeitschr. 30, p. 1 (1916). — Hampson, Novit. Zool. 25, p. 369 (1918) (*Coronidia* subg. *Coronidia*). — Mexiko, Guatemala, Costa Rica, Panama, Kolumbien, Franz. Guiana, Surinam, Brasilien, Paraguay, Ecuador, Bolivien

boreada Westwood, Trans. Zool. Soc. London 10, p. 531 ♀, t. 85, f. 9, t. 87, f. 5 (1879). — Strand, Deutsche Ent. Zeitschr. 1911, p. 637 ♀. — Hampson, Novit Zool. 25, p. 369 (1918).

d'Urville Latreille in Cuvier, Règne Anim. ed. 2, 5, p. 389 (1829), 3. p. 440, t. 20, f. 4 (1830) (*Coronis*).

Durvillii Godard, Encycl. méthod. 9, p. 803 (1819) (*Coronis*). — Guénée, Spec. génér. Lép. 9, p. 21 (1857) (*Coronis*).

hysudrus Hopffer, Neue Schmett. 2, p. 4 ♀, t. 3, f. 415 (1857) (*Coronis*). — Westwood, Trans. Zool. Soc. London 10, p. 532 (1879) (*Coronidia*). — Druce, Biol. Centr.-Amer. Lep. Het. 2, p. 5 (1891). — Strand, Deutsche Ent. Zeitschr. 1911, p. 637.

rubrivena Dognin, Hétéroc. nouv. 17, p. 11 (1919). — Kolumbien

5

Homidiana Strand.

Strand, Lep. Niepelt. p. 61 (1914).

Homidia Strand, Deutsche Ent. Zeitschr. 1911, p. 635, 642 [non Börner 1906]. — Hampson, Novit. Zool. 25, p. 368, 369 (1918) (*Coronidia* subg. *Hamidia*). [err. pro Homidia].

aeneophlebia Hampson. Novit. Zool. 25, p. 374 ♂ *(Coronidia* subg. *Homidia).* — Ecuador, Peru

brachyura Hampson, Novit. Zool. 25. p. 372 ♂ *(Coronidia* subg. *Homidia).* — Ecuador

briseis Westwood, Trans. Zool. Soc. London 10, p. 538 ♀, t. 8, f. 9 (1879) *(Coronidia).* — Strand, Deutsche Ent. Zeitschr. 1911, 642, 648, 649 ♀ *(Homidia).* — Hampson, Novit. Zool. 25, p. 371 (1918) *(Coronidia* subg. *Homidia).* — Venezuela, Bolivia

leucothysanota Strand, Deutsche Ent. Zeitschr. 1911, p. 639, 643 ♂ *(Homidia).*

canace Hopffer, Neue Schmett. 2, p. 4 ♂ t. 3, f. 6 (1856) *(Coronis).* — Westwood, Trans. Zool. Soc. London 10, p. 533 (1879) *(Coronidia).* — Druce, Biol. Centr.-Amer. Lep. Het. 2, p. 6 ♀, t. 41, f. 13 (1891). — Strand, Deutsche Ent. Zeitschr. 1911, p. 641, 647, 649 *(Homidia).* — Hampson, Novit. Zool. 25, p. 371 (1918) *(Coronidia* subsp. *Homidia).* — Panama, Kolumbien, Venezuela, Brasilien, Ecuador, Bolivien, Peru

♀ *aeola* Westwood, Trans. Zool. Soc. London 10, p. 535, t. 88, f. 1, 2 (1879) *(Coronidia).* — Druce, Biol. Centr.-Amer. Lep. Het. 2, p. 6 1891). — Strand, Deutsche Ent. Zeitschr. 1911, p. 642 *(Homidia).* — Hampson, Novit. Zool. 25, p. 71 (1918). — Antillen, Guatemala, Brasilien

cana Hopffer, Neue Schmett. 2, p. 4 (1856) *(Coronis).*

♂ *paulina* Westwood Trans. Zool. Soc. London 10, p. 533, t. 87, f. 6 (1879) *(Coronidia).* — Strand, Deutsche Ent. Zeitschr. 1911, p. 642 *(Homidia).* — Hampson, Novit. Zool. 25, p. 371 (1918).

egina Hopffer, Neue Schmett. 2, p. 4 (1856) *(Coronis).*

egina Blanchard in Cuvier, Règne Anim. Ins. t. 145, f. 4 ♂ (1849) *(Coronis).* — Chenu, Encycl. Hist. Nat. Papil. p. 34, t. 399 (1851—53). — Walker, List Lep. Het. Brit. Mus. 1, p. 38 (1854). — Guénée, Spec. génér. Lep. 9, p. 24 ♂, t. 1, f. 3 (1857). — Westwood, Trans. Zool. Soc. London 10, p. 533, t. 87, f. 7 (1879) *(Coronidia).* — Druce, Biol. Centr.-Amer. Lep. Het. 2, p. 4 (1891). — Bönninghausen, Verh. Hamburg 10, p. 45 (1899) *(Coronis).* — Strand, Deutsche Ent. Zeitschr. 1911, p. 641, 647, 649 ♂♀ *(Homidia).* — Hampson, Novit. Zool. 25, p. 370 ♂♀ (1918) *(Coronidia* subg. *Homidia).* — Mexiko, Guatemala, Nikaragua, Costa Rica, Panama, ?Westindien Kolumbien, Ecuador, Peru

nicaraguana Westwood, Trans. Zool. Soc. London 10, p. 534 ♂, t. 88, f. 3 (1879). — Druce, Biol. Centr.-Amer. Lep. Het. 2, p. 6 (1891). — Hampson, Novit. Zool. 25, p. 370 (1918).

evenus Boisduval in Cuvier, Règne Anim. Ins. t. 145, f. 2 ♂ (1849) *(Coronis).* — Chenu, Encycl. Hist. Nat. Papil. p. 234, f. 401 (1851—53). — Walker, List Lep. Het. Brit. Mus. 1, p. 40 (1854). — Guénée, Spec. génér. Lép. 9, p. 3 (1857). — Westwood, Trans. Zool. Soc. London 10, p. 540 (1879) *(Coronidia).* — Hampson, Novit. Zool. — Kolumbien, Venezuela, Ecuador, Bolivien, Peru

25, p. 372 ♂ ♀ (1918) *(Coronidia* subg. *Homidia).*
ducatrix Schaufuss, Nunquam otiosus 1, p. 12 (1870) *(Coronis).* — Westwood, Trans. Zool. Soc. London 10, p. 540 *(Coronidia).* — Hampson, Novit. Zool. 25, p. 372 (1918).
ducalis Schaufuss, Nunquam otiosus 1, p. 12 (1870) *(Coronis).* — W. F. Kirby, Syn. Cat. Lep. Het. 1, p. 20 (1892) *(Coronidia)* [err.?].
subevenus Strand, Deutsche Ent. Zeitschr. 1911, p. 645 ♂ *(Homidia).* — Hampson, Novit. Zool. 25, p. 372 (1918).

flavidorsata Hampson, Novit. Zool. 25, p. 373 ♂ ♀ (1918) *(Coronidia* subg. *Homidia).* — Kolumbia, Peru

Guenei Druce, Biol. Centr.-Amer. Lep. Het. 2, p. 6 ♂ (1891) *(Coronidia).* — Hampson, Novit. Zool. 25, p. 371 (1918) *(Coronidia* subg. *Homidia).* — Panama, Kolumbia, Brit. Guiana

insolita Strand, Deutsche Ent. Zeitschr. 1911, p. 638, 642 ♂ *(Homidia).* — Hampson, Novit. Zool. 25, p. 375 *(Coronidia* subg. *Homidia).* — Patria?

interlineata Walker, List Lep. Het. Brit. Mus. 1, p. 38 ♀ (1854) *(Coronis).* — Butler, Ill. Lep. Het. Brit. Mus. 1, p. 59, t. 2, f. 1 (1877). — Westwood, Trans. Zool. Soc. London 10, p. 538, t. 88, f. 8 (1879) *(Coronidia).* — Druce, Biol. Centr.-Amer. Lep. Het. 2, p. 7 ♀, t. 41, f. 17 (1891). — Strand, Deutsche Ent. Zeitschr. 1911, p. 641, 648 ♂ ♀ *(Homidia).* — Hampson, Novit. Zool. 25, p. 374 (1918) *(Coronidia* subg. *Homidia).* — Guatemala, Costa Rica, Panama, Kolumbien, Venezuela, Ecuador, Peru
♂ *abbreviata* Maassen in Stübels Reise Südamerika Lep. p. 56, 129 (1890) *(Coronis.* — W. F. Kirby, Syn. Cat. Lep. Het. 1, p. 20 *(Coronidia).* — Strand, Deutsche Ent. Zeitschr. 1911, p. 648.
Westwoodi Druce, Biol. Centr.-Amer. Lep. Het. 2, p. 7 (1891) *(Coronidia).*

— **Leachii** Godard, Encycl. Méthod. 9, p. 803 ♂ (1819) *(Aquarista).* — Guérin, Icon. Règne Anim. Ins. p. 493, t. 83, f. 3 (1829—34) *(Coronis).* — Griffith in Cuvier, Anim. Kingd. Ins. 14, t. 537 (1832). — Boisduval, Spec. génér. Lép. 1, t. 14, f. 2 (1836). — Blanchard, Hist. Nat. Ins. 2, p. 472 (1840). — Walker, List Lepl Het. Brit. Mus. 1, p. 39 (1854). — Guénée, Spec. génér. Lép. 9, p. 22, t. 1, f. 2 (1857). — Westwood, Trans. Zool. Soc. London 10, p. 540, t. 88, f. 11 (1879) *(Coronidia).* — Druce, Biol. Centr.-Amer. Lep. Het. 2, p. 8 (1891). — Strand, Deutsche Ent. Zeitschr. 1911, p. 639, 643 ♂ *(Homidia).* — Hampson, Novit. Zool. 25, p. 371 (1918) *(Coronidia* subg. *Homidia).* — Mexiko, Guatemala, Nikaragua, Costa Rica, Panama, Kolumbien, Venezuela, Brasilien, Ecuador, Peru
japet Blanchard in Cuvier, Règne Anim. Ins. t. 145, f. 3 ♀ (1849) *(Coronis).* — Chenu, Encycl. Hist. Nat. Papil. p. 234, t. 400 (1851—53). — Walker, List Lep. Het. Brit. Mus. 1, p. 38 (1854). — Westwood, Trans. Zool. Soc. London 10, p. 537, t. 88, f. 6 (1879) *(Coronidia).* — Druce, Biol. Centr.-Amer. Lep. Het. 2, p. 7 (1891). — Bönninghausen, Verh. Hamburg 10,

p. 45 (1899) *(Coronis)*. — Strand, Deutsche Ent. Zeitschr. 1911, p. 648 *(Homidia)*. — Hampson, Novit. Zool. 25, p. 371 (1918).

leucosticta Hampson, Novit. Zool. 25, p. 369 ♂ (1918) *(Coronidia)* subg. *Homidia)*. — Peru

monotona Hampson, Novit. Zool. 25, p. 374 ♂ (1918) *(Coronidia* subg. *Homidia)*. — Peru

restincta Strand, Deutsche Ent. Zeitschr. 1911, p. 640, 646 ♂; id. Lep. Niepelt, p. 20 ♂, t. 4, f. 7 ♂, 8 ♀ (1914). — Hampson, Novit. Zool. 25, p. 371 (1918) *(Coronidia* subg. *Homidia)*. — Kolumbien, Ecuador, Peru

Ribbei Druce, Biol. Centr.-Amer. Lep. Het. 2, p. 8 ♀, t. 41, f. 14 (1891) *(Coronidia)*. — Strand, Deutsche Ent. Zeitschr. 1911, p. 641, 648 *(Homidia)*. — Hampson, Novit. Zool. 25, p. 375 (1918) *(Coronidia* subg. *Homidia)*. — Panama

rosina Felder & Rogenhofer, Reise d. Novara Zool. Lep. p. 2, t. 121, f. 3, 4 ♂ *(Larunda)*. — Westwood, Trans. Zool. Soc. London 10, p. 335, t. 87, f. 8, 9 ♂ (1879) *(Coronidia)*. — Strand, Deutsche Ent. Zeitschr. 1911, p. 640, 647 *(Homidia)*. — Hampson, Novit. Zool. 25, p. 370 (1918) *(Coronidia* subg. *Homidia)*. — Kolumbien, Venezuela

columbiana Westwood, Trans. Zool. Soc. London 10, p. 534 ♀, t. 88, f. 4 (1879) *(Coronidia)*.

Strandi Pfeiffer, Ent. Zeitschr. 30, p. 13 (1916). — Peru

subpicta Walker, List Lep. Het. Brit. Mus. 1, p. 39 ♂ (1854) *(Coronis)*. — Butler, Ill. Lep. Het. Brit. Mus. 1, p. 59, t. 2, f. 2 (1877). — Westwood, Trans. Zool. Soc. London 10, p. 537 (1879) *(Coronidia)*. — Oberthür, Etud. Lép. 6. p. 29, t. 6, f. 3 (1881) *(Coronis)*. — Hampson, Novit. Zool. 25, p. 371 (1918) *(Coronidia* subg. *Homidia)*. — Mexiko, Nikaragua, Costa Rica, Panama, Kolumbien, Venezuela, Peru

♀ *biblina* Westwood, Trans. Zool. Soc. London 10, p. 537, t. 88, f. 7 (1879) *(Coronidia)*. — Druce, Biol. Centr.-Amer. Lep. Het. 2, p. 7 (1891).

♂ *echenais* Hopffer, Neue Schmett. 2, p. 5, t. 4, f. 1 (1856) *(Coronis)*. — Westwood, Trans. Zool. Soc. London 10, p. 536 (1879) *(Coronidia)*. — Druce, Biol. Centr.-Amer. Lep. Het. 2, p. 7, t. 41, f. 15 (1891). — Strand, Deutsche Ent. Zeitschr. 1911, p. 642, 649 ♂ ♀ *(Homidia)*. — Hampson, Novit. Zool. 25, p. 371 (1918).

granadina Westwood, Trans. Zool. Soc. London 10, p. 536, t. 88, f. 5 (1879) *(Coronidia)*. — Hampson, Novit. Zool. 25, p. 371 (1918).

Biologie: Fassl, Zeitschr. f. wiss. Ins. Biol. 6, p. 355 (1910).

tangens Strand, Deutsche Ent. Zeitschr. 1911, p. 639, 645 ♂ *(Homidia)*. — Hampson, Novit. Zool. 25, p. 365 (1918) *(Coronidia* subg. *Homidia)*. — Ecuador

traducta Strand, Deutsche Ent. Zeitschr. 1911, p. 640, 646 *(Homidia)*; id. Lep. Niepelt, p. 20, t. 7, f. 6 ♂ (1914). — Hampson, Novit. Zool. 25, p. 369 (1918) *(Coronidia* subg. *Homidia)*. — Bolivia, Peru

Westwoodi Oberthür, Etud. Ent. 6, p 28 ♂, t. 6, f. 2 (1881) *(Coronis)*. — W. F. Kirby, Syn. Cat. Lep. Het. 1, p. 19 (1892) *(Coronidia)*. — Kolumbien
Vestvoodi Hampson, Novit. Zool. 25, p. 369 (1918) *(Coronidia* subg. *Homidia)*.
21

Lonchotura Hampson.

Hampson, Novit. Zool. 25, p. 367, 375 (1918).

ocylus Boisduval, Consid. Lep. Guatemala, p. 76 (1870) *(Coronis)*. — Westwood, Trans. Zool. Soc. London 10, p. 539 (1879) *(Coronidia)*. — Druce, Biol. Centr.-Amer. Lep. Het. 2, p. 8 (1891). — Strand, Deutsche Ent. Zeitschr. 1911, p. 641, 648 *(Homidia)*. — Hampson, Novit. Zool. 25, p. 376 (1918). — Mexiko, Guatemala, Costa Rica
♀ *Dutreuxii* Deyrolle, Rev. Mag. Zool. (3), 2, t. 8, f. 3 (1874) *(Coronis)*. — W. F. Kirby, Syn. Cat. Lep. Het. 1, p. 20 (1892) *(Coronidia)*.
♂ *genevana* Westwood, Trans. Zool. Loc. London 10, p. 539, t. 88, f. 10 (1879) *(Coronidia)*. — Druce, Biol. Centr.-Amer. Lep. Het. 2, p. 7 (1891). — Strand, Deutsche Ent. Zeitschr. 1911, p. 648.
1

Anurapteryx Hampson.

Hampson, Novit. Zool. 25, p. 367, 376 (1918).

Beckeri Druce, Ann. Mag. Nat. Hist. (6) 18, p. 353 (1897) *(Coronidia)*; id., Biol. Centr.-Amer. Lep. Het. 2, p. 525 ♀, t. 98, f. 1 (1898). — Hampson, Novit. Zool. 25, p. 376 (1918). — Mexiko
1

9 Gattungen
65 Arten

Register.

Genera.

Species, Subspecies, Varietates.

*) false Corveiden

Druck von Paul Dünnhaupt, Cöthen i. A.





